



NORWOOD CITY COUNCIL

COUNCIL CHAMBERS
4645 MONTGOMERY RD.
NORWOOD, OH 45212

December 9, 2025

7:30 PM

- A) CALL TO ORDER
- B) MOMENT OF REFLECTION
- C) PLEDGE OF ALLEGIANCE
- D) ROLL CALL
- E) AMENDMENT OF AGENDA
- F) MINUTES OF PREVIOUS MEETING
- G) SPECIAL PRESENTATIONS
 - 1) Worth Avenue Market Analysis Presentation - Kayra Koprulu, UC co-op DAAP student
- H) PUBLIC HEARINGS
- I) REQUEST TO ADDRESS COUNCIL
- J) REPORTS OF STANDING COMMITTEES OF COUNCIL
- K) THIRD READING OF ORDINANCES/RESOLUTIONS
 - 1) A RESOLUTION TO ADOPT AND IMPLEMENT A CYBERSECURITY PROGRAM FOR THE CITY OF NORWOOD IN COMPLIANCE WITH OHIO'S CYBERSECURITY LAW, AND DECLARING AN EMERGENCY
- L) SECOND READING OF ORDINANCES/RESOLUTIONS
 - 1) AN ORDINANCE REGULATING THE USE OF VIRTUAL CURRENCY KIOSKS
 - 2) A RESOLUTION REQUESTING THE PLANNING COMMISSION TO ADOPT BACKYARD PAVING LIMITS
- M) INTRODUCTORY READING OF ORDINANCES/RESOLUTIONS
 - 1) ORDINANCE TO CHANGE APPROPRIATIONS FOR THE YEAR 2025, AND DECLARING AN EMERGENCY
 - 2) AN ORDINANCE DECLARING IMPROVEMENTS TO CERTAIN PARCELS OF REAL PROPERTY WITHIN THE CITY OF NORWOOD, OHIO, TO BE A PUBLIC PURPOSE AND EXEMPT FROM REAL PROPERTY TAXATION; REQUIRING THE OWNERS OF THOSE PARCELS TO MAKE SERVICE PAYMENTS IN LIEU OF TAXES; ESTABLISHING A MUNICIPAL PUBLIC IMPROVEMENT TAX INCREMENT EQUIVALENT FUND FOR THE DEPOSIT OF THOSE SERVICE PAYMENTS; SPECIFYING THE PUBLIC INFRASTRUCTURE IMPROVEMENTS TO BE MADE THAT DIRECTLY BENEFIT SUCH REAL PROPERTY; AUTHORIZING THE DISTRIBUTION OF THE APPLICABLE PORTION OF THOSE SERVICE PAYMENTS TO THE NORWOOD CITY SCHOOL DISTRICT AND GREAT OAKS INSTITUTE OF TECHNOLOGY AND CAREER DEVELOPMENT; AND DECLARING AN EMERGENCY
 - 3) ORDINANCE AUTHORIZING THE SAFETY-SERVICE DIRECTOR TO ENTER INTO A CONTRACT WITH ROLLAND SPECIALTY VEHICLES AND PRODUCTS AKA R.S.V.P. AMBULANCE FOR THE FINANCING AND PURCHASE OF A 2026 TRAUMAHAWK MODULAR AMBULANCE, AND DECLARING AN EMERGENCY
- N) ADMINISTRATION REPORTS
- O) UNFINISHED BUSINESS
- P) NEW BUSINESS
- Q) COMMUNICATIONS
 - 1) Norwood Planning Commission - Re: Memorandum

"Gem of the Highlands"

R) EXCUSE ABSENT MEMBERS

S) ADJOURNMENT

"Gem of the Highlands"

**A RESOLUTION TO ADOPT AND IMPLEMENT A CYBERSECURITY PROGRAM
FOR THE CITY OF NORWOOD IN COMPLIANCE WITH OHIO'S
CYBERSECURITY LAW, AND DECLARING AN EMERGENCY**

WHEREAS, the State of Ohio enacted new cybersecurity requirements under Ohio's Cybersecurity Law, requiring political subdivisions to adopt and implement cybersecurity programs consistent with recognized best practices; and

WHEREAS, the City of Norwood recognizes the importance of protecting information systems, networks, and sensitive data from cybersecurity threats, ensuring operational continuity and public trust; and

WHEREAS, the adoption of a cybersecurity program aligns with the best practices outlined in the National Institute of Standards and Technology (NIST) frameworks (NIST SP 800-171 and NIST SP 800-53), as well as other industry standards;

NOW THEREFORE, BE IT RESOLVED, by the City Council of the City of Norwood, County of Hamilton, Ohio:

SECTION 1. The City of Norwood hereby formally adopts a cybersecurity program consistent with best practices, as required under Ohio's Cybersecurity Law. This program shall establish policies, procedures, and technical safeguards for the protection of information technology systems, infrastructure, and data.

SECTION 2. The cybersecurity program shall be implemented immediately in accordance with the Ohio Cybersecurity Law for Political Subdivisions - ORC § 9.64 (Ohio HB 96).

SECTION 3. The cybersecurity program shall incorporate the following elements, consistent with industry best practices: risk assessments and vulnerability management; access control and authentication requirements; data protection, backup, and recovery procedures; incident detection and response planning; employee awareness and training; and ongoing monitoring and compliance reporting.

SECTION 4. The City of Norwood Safety-Service Director is hereby authorized and directed to oversee the implementation and maintenance of the cybersecurity program and to take all necessary steps to ensure compliance with state law.

SECTION 5. The cybersecurity program shall be reviewed annually and updated as necessary to remain consistent with evolving threats, technological changes, and updated state or federal requirements.

SECTION 6. This resolution is hereby declared an emergency resolution and a measure necessary for the immediate preservation of organizational data integrity, system security, and operational continuity, and shall take effect and be in full force from and after the earliest period allowed by law.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025, in compliance with the rules of Norwood City Council and the laws of the State of Ohio. The foregoing ordinance was submitted to the Mayor of the City of Norwood, Ohio for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was published on the City of Norwood’s website-news page at <https://norwoodohio.gov/news> and the City of Norwood’s Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

1st Reading _____
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date



City of Norwood Request for Ordinance, Resolution, Amendment, or Repeal

Date of Request: 11/5/2025	Date Needed: 11/11/2025
Request(s) should be submitted by the Wednesday, at noon, before date needed for Council, earlier if possible.	
Requested By:	Noah Powers
Contact:	Ssd@norwoodohio.gov
Document Requested:	Resolution
Executive Summary of document needed:	
If an amendment or repeal request, list existing Ordinance Number(s)/Section(s) of Ordinance to be amended or repealed, etc. (or attach documents and/or copies as appropriate)	
Requesting a resolution adopting and implementing a cybersecurity program for the City of Norwood in compliance with Ohio Revised Code §9.64 (Ohio HB 96), utilizing the Center for Internet Security standards.	
Action Requested:	Emergency - Three Readings at One Meeting with Immediate Effectivity
If Emergency clause or suspension of rules for all three readings is needed, explain:	
Emergency action is requested to bring the city into compliance with the new state requirements at the earliest time possibly. The state law mandates this resolution and the city's cybersecurity program be effective no later than January 1, 2026.	
Special Notes/Instructions	
HB 96 exempts the city's cybersecurity policy from public records, and therefore the specific policy is not included in this request for legislation. The policy will be provided to all Councilmembers in advance of the City Council meeting.	

Keith D Moore, Law Director
kmoore@norwoodohio.gov
 513-458-4585 / 513-258-5483

Tim Garry, Jr., Assistant Law Director
tgarry@norwoodohio.gov
 513-458-4588 / 513-312-1275 (rev. 01/09/2018)



Ordinance No. _____ *20* _____

AN ORDINANCE REGULATING THE USE OF VIRTUAL CURRENCY KIOSKS

WHEREAS, law enforcement agencies in Norwood and across the region have documented increasing criminal activity involving the use of virtual currency kiosks, including fraud, extortion, financial exploitation, and coercion of vulnerable victims; and

WHEREAS, criminals frequently direct victims to deposit cash into virtual currency kiosks because such transactions are rapid, anonymous, difficult to reverse, and often lack meaningful identity verification or consumer protections; and

WHEREAS, virtual currency kiosks currently operate with minimal federal or state regulatory oversight, leaving consumers at significant risk of financial harm; and

WHEREAS, the City Council finds that these devices have become a vehicle for widespread victimization, particularly among elderly residents, immigrants, and individuals with limited experience in financial technology; and

WHEREAS, Ohio law and Ohio's constitution grant cities, including Norwood, the authority to enact regulations necessary for the preservation of public morality, health, peace, and good order within city limits; and

WHEREAS, prohibiting virtual currency kiosks does not restrict the lawful use, possession, or transfer of virtual currency through other channels, including regulated online exchanges or personal transactions; and

WHEREAS, the City Council finds that an outright prohibition on virtual currency kiosks within the City of Norwood is necessary and appropriate to protect public safety and welfare; and

WHEREAS, the City Council adopts these legislative findings in support of the addition of Section Chapter 10.90 to the Norwood Municipal Code;

NOW, THEREFORE, the City of Norwood does ordain:

SECTION 1. Adoption of Chapter 773 – Regulating Virtual Currency Kiosks

A new chapter, Chapter 773 of the Codified Ordinances of Norwood, Part Seven Business Regulation Code, is hereby added to the Norwood Municipal Code to read as follows:

CHAPTER 773. – VIRTUAL CURRENCY KIOSKS

Section 773.01 – Scope and Purpose

Virtual Currency Kiosks are frequently used by criminals to manipulate, intimidate, and threaten victims into using those kiosks to send cash. Without stronger federal, state, or local regulations, there is no way to stop criminals from using virtual currency kiosks to victimize members of the community.

This chapter prohibits the placement and use of virtual currency kiosks within the City as necessary and appropriate to prevent dangers to public health and safety, and to preserve public morality, health, peace, and good order within City limits.

Section 773.01 – Authority

Pursuant to Article XVIII: Municipal Corporations of the Constitution of the State of Ohio, the City of Norwood has the authority to make regulations necessary for the preservation of public morality, health, peace, and good order, within its limits.

Section 773.02 – Definitions

For purposes of this chapter, the following words, terms, and phrases shall have the meanings set forth below unless a different meaning is required by state law:

1. “Virtual Currency” means a digital representation of value used as a medium of exchange, a unit of account, or a store of value, but does not have legal tender status as recognized by the United States Government.
2. “Virtual Currency Kiosk” means an electronic terminal located in an area accessible to the general public which acts as a mechanical agent of the Virtual Currency Kiosk Operator, enabling the exchange of virtual currency for money, bank credit, or other virtual currency.
3. “Virtual Currency Kiosk Operator” means any person or entity that:
 - a. knowingly permits the use or installation of a virtual currency kiosk on property owned, leased, or controlled by the person or entity; or
 - b. operates a virtual currency kiosk within the City limits; or
 - c. owns a virtual currency kiosk that is either located or operated within City limits.

Section 773.03 – Virtual Currency Kiosks Prohibited

It shall be unlawful for any person or entity to host, allow, operate, permit, locate, or place a Virtual Currency Kiosk within the City of Norwood.

All Virtual Currency Kiosks existing in the City as of the effective date of this ordinance must be removed within sixty (60) days after the effective date.

Section 773.04 – Exceptions

Nothing in this chapter shall be construed to regulate or restrict a transfer of virtual currency.

This section does not apply to virtual currency transfers conducted without the use of a Virtual Currency Kiosk and does not intend to interfere with other lawful methods of virtual currency transfer or exchange.

Section 773.05 – Penalty

Whoever violates this codified ordinance shall be fined not more than five hundred dollars (\$500.00) for their first offense; one thousand dollars (\$1,000.00) for a second offense, and one thousand and five-hundred dollars (\$1,500.00) for a third offense.

In addition, the City of Norwood may cancel or revoke the business license or registration of any Virtual Currency Kiosk Operator found to be in violation of this chapter.

SECTION 2. Effective Date

This ordinance is hereby declared to be an emergency ordinance and a measure necessary for the immediate preservation of the public peace, health, safety, and general welfare, and shall go into effect forthwith. The *reason* for said emergency is to prevent the imminent and ongoing financial harm to the City’s residents due to documented and the increasing number of instances

of cryptocurrency-related scams, which pose an immediate threat to the public's economic welfare and safety.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025 in compliance with the rules of Norwood City Council and the laws of the State of Ohio. This resolution was submitted to the Mayor of the City of Norwood, Ohio, for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED: _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was published on the City of Norwood's website-news page at <https://norwoodohio.gov/news> and the City of Norwood's Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

ORDINANCE READINGS

1st Reading 11/25/25
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date



Resolution No. _____ 20_____

A RESOLUTION REQUESTING THE PLANNING COMMISSION TO ADOPT BACK YARD PAVING LIMITS

WHEREAS, Council is aware of a growing number of trees, shrubs, and other plants being replaced with increasingly larger paved parking areas by the owners of residential properties; and

WHEREAS, trees and other plants are valuable resources that improve air quality and help reduce heat in the summer; and

WHEREAS, any increase in impervious surface areas increases the runoff of stormwater to the City’s already overburdened storm sewer system; and

WHEREAS, Council desires to place limits on how much of a rear yard in a residential district may be paved over with impervious materials;

NOW THEREFORE, be it resolved by the Council of the City of Norwood:

SECTION 1. Council requests the Planning Commission of the City of Norwood, Ohio, to consider and adopt the following suggestions or similar changes (new language in bold and underlined) to the Planning and Zoning Code, to wit, to amend Chapter 11, Section 1153.20, entitled “Minimum Distance and Setbacks, as follows:

1153.20 MINIMUM DISTANCE AND SETBACKS.

(a) In any nonresidential district, off street parking spaces may occupy all or any part of any required side or rear yard.

(b) Parking shall be setback from the property line as follows:

(1) The minimum front setback shall be thirty (30) feet for nonresidential uses. Where parking is provided under 1153.19(e), the minimum front setback shall be five (5) feet.

(2) The minimum rear setback shall be ten (10) feet.

(3) The minimum side setback shall be five (5) feet.

(c) Side or rear setbacks are not required for shared parking.

(d) In an R district, parking in the front yard setback shall be permitted on a driveway no greater than twenty (20) feet in width and occupying no more than twenty-five percent of the front yard setback.

(e) In an R district, the coverage of driveways, open air parking, detached garages, and carports may not occupy more than fifty percent of the total rear yard, provided that driveways and open air parking areas paved with a pervious surface allowing stormwater to infiltrate into the ground shall not count toward the total area.

(f) In no case shall any part of a parking area be closer than five (5) feet to any established street or alley right-of-way.

SECTION 2. Council directs the Clerk of Council to forward a copy of this resolution to the Planning Commission at the Planning Commission’s next regular meeting, and to forward a copy to the Building Commission for their consideration and recommendations for the Planning Commission.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025 in compliance with the rules of Norwood City Council and the laws of the State of Ohio. This resolution was submitted to the Mayor of the City of Norwood, Ohio, for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED: _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was published on the City of Norwood’s website-news page at <https://norwoodohio.gov/news> and the City of Norwood’s Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

RESOLUTION READINGS

1st Reading 11/25/25
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date

**ORDINANCE TO CHANGE APPROPRIATIONS FOR THE YEAR 2025,
AND DECLARING AN EMERGENCY**

WHEREAS, Council wishes to increase and/or decrease appropriation line items for 2025; now therefore,

BE IT ORDAINED by the Council of the City of Norwood, State of Ohio, that:

SECTION 1. The appropriations line items are increased and/or decreased as follows:

See Attached Exhibit “A”

SECTION 2. This ordinance is hereby declared an emergency ordinance and a measure necessary for the immediate preservation of the public peace, health, safety, and general welfare, and shall go into effect forthwith. The reason for said emergency is to increase and/or decrease certain appropriation line items.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025, in compliance with the rules of Norwood City Council and the laws of the State of Ohio. The foregoing ordinance was submitted to the Mayor of the City of Norwood, Ohio for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was published on the City of Norwood’s website-news page at <https://norwoodohio.gov/news> and the City of Norwood’s Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

1st Reading _____
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date

12/9/2025

EXHIBIT A

Increase In Permanent Appropriations to the following funds:

1001-0842-57200	Contractual Services- Fire Dept	\$	10,000.00
1001-0820-57200	Contractual Services - Buiding Dept	\$	14,000.00

Decrease In Permanent Appropriations to the following funds:

1001-0843-57200	Materials & Supplies - Fire Dept	\$	(3,000.00)
1001-0843-57300	Materials & Supplies - Fire Dept	\$	(3,000.00)
1001-0842-57300	Materials & Supplies - Fire Dept	\$	(4,000.00)
1001-0820-57300	Materials & Supplies - Bulding dept	\$	(1,500.00)
1001-0815-57200	Material and Supplies - Tansport Exp	\$	(12,500.00)




City of Norwood Request for Ordinance, Resolution, Amendment, or Repeal

Date of Request: 12/1/2025	Date Needed: 12/9/2025
Request(s) should be submitted by the Wednesday, at noon, before date needed for Council, earlier if possible.	
Requested By:	Sharon Kambizi
Contact:	skambizi@@norwoodohio.gov
Document Requested:	Ordinance
<p>Executive Summary of document needed: Request authorizing the reappropriation of \$10,000.00 to Fire Dept Contractual (1001-0842-57200) from Fire Dept Materials & Supplies</p> <ul style="list-style-type: none"> • 1001-0843-57200 \$3,000 • 1001-0843-57300 \$3,000 • 1001-0842-57300 \$4,000 	
If an amendment or repeal request, list existing Ordinance Number(s)/Section(s) of Ordinance to be amended or repealed, etc. (or attach documents and/or copies as appropriate)	
Action Requested:	Emergency - Three Readings at One Meeting with Immediate Effectivity
If Emergency clause or suspension of rules for all three readings is needed, explain:	
Special Notes/Instructions	
Request to move needed funds to cover remaining contractual expense and declaring an emergency.	



City of Norwood Request for Ordinance, Resolution, Amendment, or Repeal

Date of Request: 12/1/2025	Date Needed: 12/9/2025
Request(s) should be submitted by the Wednesday, at noon, before date needed for Council, earlier if possible.	
Requested By:	Sharon Kambizi
Contact:	skambizi@@norwoodohio.gov
Document Requested:	Ordinance
<p>Executive Summary of document needed: Request authorizing the reappropriation of \$14,000 to Building Dept Contractual Services 1001-0820-57200 from Building Dept Materials & Supplies</p> <ul style="list-style-type: none"> • 1001-0820-57300 \$1,500 • 1001-0815-57200 \$12,500 	
If an amendment or repeal request, list existing Ordinance Number(s)/Section(s) of Ordinance to be amended or repealed, etc. (or attach documents and/or copies as appropriate)	
Action Requested:	Emergency - Three Readings at One Meeting with Immediate Effectivity
If Emergency clause or suspension of rules for all three readings is needed, explain:	
Special Notes/Instructions	
Request to move needed funds to cover remaining contractual expense and declaring an emergency.	



November 17, 2025

Subject: Request for Appropriations Change

Dear Auditor Miracle:

I am requesting a change in appropriations as follows:

Reduction

A) For Fire Department

- 1001-0843-57200 \$3,000
- 1001-0843-57300 \$3,000
- 1001-0842-57300 \$4,000

B) For Building Department

- 1001-0820-57300 \$1,500
- 1001-0815-57200 \$12,500

Increase

A) For Fire Department

- 1001-0842-57200 \$10,000

B) For Building Department

- 1001-0820-57200 \$14,000

Sincerely,

Noah Powers III, Esq.
Safety-Service Director

CC: Victor Schneider, Mayor
Sharon Kambizi, Deputy Auditor
Thomas McCabe, Fire Chief
Ralph Wolfe, Building Commissioner

AN ORDINANCE DECLARING IMPROVEMENTS TO CERTAIN PARCELS OF REAL PROPERTY WITHIN THE CITY OF NORWOOD, OHIO, TO BE A PUBLIC PURPOSE AND EXEMPT FROM REAL PROPERTY TAXATION; REQUIRING THE OWNERS OF THOSE PARCELS TO MAKE SERVICE PAYMENTS IN LIEU OF TAXES; ESTABLISHING A MUNICIPAL PUBLIC IMPROVEMENT TAX INCREMENT EQUIVALENT FUND FOR THE DEPOSIT OF THOSE SERVICE PAYMENTS; SPECIFYING THE PUBLIC INFRASTRUCTURE IMPROVEMENTS TO BE MADE THAT DIRECTLY BENEFIT SUCH REAL PROPERTY; AUTHORIZING THE DISTRIBUTION OF THE APPLICABLE PORTION OF THOSE SERVICE PAYMENTS TO THE NORWOOD CITY SCHOOL DISTRICT AND GREAT OAKS INSTITUTE OF TECHNOLOGY AND CAREER DEVELOPMENT; AND DECLARING AN EMERGENCY.

WHEREAS, Ohio Revised Code Sections 5709.40, 5709.42 and 5709.43 (collectively, the “TIF Statutes”) authorize this Council, by ordinance, to declare improvements to each parcel of real property located within the corporate boundaries of the City of Norwood, Ohio (the “City”) to be a public purpose and exempt from taxation, require the owner of each such parcel to make service payments in lieu of taxes, provide for the distribution of the applicable portion of such service payments to the City, local or exempted city school district, establish a municipal public improvement tax increment equivalent fund for the deposit of the remainder of those service payments, and specify public infrastructure improvements made, to be made or in the process of being made that directly benefit, or that once made will directly benefit, such parcels; and

WHEREAS, the parcel or parcels of real property identified and depicted in Exhibit A attached hereto are located in the City (with each of those parcels, as now or hereafter configured, referred to herein individually as “Parcel” and collectively as the “Parcels”), and this Council has determined to declare the Improvement (as defined in Section 1 of this Ordinance) to each of the Parcels to be a public purpose; and

WHEREAS, this Council has determined that it is necessary and appropriate and in the best interest of the City to exempt from taxation one hundred percent (100%) of the Improvement to the Parcels as permitted and provided in Section 5709.40(B) of the Ohio Revised Code for up to thirty (30) years (the “TIF Exemption”); and

WHEREAS, this Council has determined to direct and require the current and future owner(s) of Parcels (each such owner individually, an “Owner,” and collectively, the “Owners”) to make annual Service Payments (as defined in Section 3 of this Ordinance) with respect to the Parcels in lieu of the real property tax payments, and in the same amount as they would have made real property tax payments except for the exemption provided by this Ordinance; and

WHEREAS, notice of this proposed ordinance has been delivered to the Boards of Education of the Norwood City School District (the “School District”) and the Great Oaks Institute of Technology and Career Development (the “JVSD”) in accordance with and within the time periods prescribed in Sections 5709.40, as applicable, and 5709.83 of the Ohio Revised Code; and

WHEREAS, this Council has determined that a portion of the Service Payments shall be paid to the School District and the JVSD in an amount equal to the real property taxes that would have been payable to the School District and the JVSD if the Improvements to the Parcels located in the School District and the JVSD had not been exempt from taxation pursuant to this Ordinance; and

WHEREAS, this Council has determined to provide for the construction of additional public infrastructure improvements described in Exhibit B attached hereto (the “Public Infrastructure Improvements”), which Public Infrastructure Improvements, once made, will directly benefit the Parcels;

NOW THEREFORE, BE IT ORDAINED by the City Council of the City of Norwood, State of Ohio:

SECTION 1. Authorization of Tax Exemption; Duration of Tax Exemption. Pursuant to and in accordance with the provisions of Section 5709.40(B) of the Ohio Revised Code, this Council finds and determines that one hundred percent (100%) of the increase in assessed value of each respective Parcel subsequent to the effective date of this ordinance (which increase in assessed value is hereinafter referred to as the “Improvement,” as defined in Section 5709.40(A) of the Ohio Revised Code) is hereby declared to be a public purpose and shall be exempt from taxation for a period commencing the first tax year in which Improvement resulting from new construction on the Parcels first appears on the tax duplicate of real and public utility property (such commencement date hereinafter referred to as the “Commencement Date”), and ending for such parcel on the earlier of (a) thirty (30) years after such commencement or (b) the date on which the City can no longer require service payments in lieu of taxes, all in accordance with the requirements of the TIF Statutes.

SECTION 2. Public Infrastructure Improvements. This Council designates the Public Infrastructure Improvements described in Exhibit B attached hereto, and any other public infrastructure improvements hereafter designated by ordinance as public infrastructure improvements, as public infrastructure improvements made, to be made, or in the process of being made by or for the benefit of the City that directly benefit, or that once made will directly benefit, the Parcels.

SECTION 3. Service Payments and Property Tax Rollback Payments. Pursuant to Section 5709.42 of the Ohio Revised Code, this Council directs and requires the owner of each Parcel to make annual service payments in lieu of taxes with respect to the Improvement allocable thereto to the Hamilton County Treasurer (the “County Treasurer”) on or before the final dates for payment of real property taxes. Each service payment in lieu of taxes, including any penalties and interest at the then current rate established under Sections 323.121 and 5703.47 of the Ohio Revised Code (collectively, the “Service Payments”), will be charged and collected in the same manner and in the same amount as the real property taxes that would have been charged and payable against the Improvement if it were not exempt from taxation pursuant to Section 1 of this Ordinance. The Service Payments, and any other payments with respect to each Improvement that are received by the County Treasurer in connection with the reduction required by Sections 319.302, 321.24, 323.152 and 323.156 of the Ohio Revised Code, as the same may be amended from time to time, or any successor provisions thereto as the same may be amended from time to time (the “Property Tax Rollback Payments”), will be allocated and distributed in accordance with Section 5 of this Ordinance.

SECTION 4. Tax Increment Equivalent Fund. This Council establishes, pursuant to and in accordance with the provisions of Section 5709.43 of the Ohio Revised Code, the Lexington Avenue Municipal Public Improvement Tax Increment Equivalent Fund (the “TIF Fund”), into which the City shall deposit the Service Payments and Property Tax Rollback Payments collected by the Treasurer and distributed to the City with respect to the Parcels. The TIF Fund will be maintained in the custody of the City. The City may use amounts deposited into the TIF Fund only for the purposes authorized in the TIF Statutes and this Ordinance. The TIF Fund will exist so long as such Service Payments and Property Tax Rollback Payments are collected and used for the aforesaid purposes, after which time the TIF Fund will be dissolved and any surplus funds remaining therein transferred to the City’s General Fund, all in accordance with Section 5709.43 of the Ohio Revised Code.

SECTION 5. Distribution of TIF Revenues. Pursuant to the TIF Statutes, the City shall distribute and utilize the Service Payments held in the TIF fund as follows: (i) to each of the School District and the JVSD respectively, an amount equal to the amount each of the School District and the JVSD would otherwise have received as real property tax payments derived from the Improvements to the Parcels located within each of such school district’s boundaries if the Improvement had not been exempt from taxation pursuant to this Ordinance; and (ii) to be held by the City in the TIF funds, all remaining amounts for payment of costs of the Public Infrastructure Improvements, including debt service on any securities issued to finance those costs. If appropriate, as determined by the Mayor of the City, and per the request of the School District, the Mayor may enter into a school compensation agreement or other agreement of similar effect for purposes of documenting the City’s obligation under this Section 5 to make payments to the School District and the JVSD the amounts each of the School District and the JVSD would otherwise have received as real property tax payments derived from the Improvements to the Parcels but for the TIF Exemption.

SECTION 6. Further Authorizations. This Council authorizes and directs the Mayor, the City Auditor, the City Treasurer, the City Law Director or other appropriate officers of the City to make such arrangements as are necessary and proper for collection of the Service Payments from the owner of each Parcel, including the preparation and filing of any necessary exemption applications. This Council further authorizes and directs those officers or other appropriate officers of the City to prepare and sign all agreements and instruments and to take any other actions as may be appropriate to implement this ordinance.

SECTION 7. Non-Discriminatory Hiring Policy. In accordance with Section 5709.832 of the Ohio Revised Code, this Council hereby determines that no employer located upon any Parcel shall deny any individual employment based solely on the basis of race, religion, sex, disability, color, national origin or ancestry.

SECTION 8. Notification of Passage. The Clerk of this Council is hereby directed to deliver, not later than fifteen (15) days after the effective date of this Ordinance, a copy thereof to the Director of Development of the State of Ohio and to further deliver to such Director, not later than March 31 of each year during which the tax exemption remains in effect, a status report outlining the progress of the project herein described.

SECTION 9. Open Meetings. It is hereby found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were passed in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action, were in meetings open to the public, in compliance with all legal requirements including Section 121.22 of the Ohio Revised Code.

SECTION 10. Effective Date. This Ordinance is hereby declared to be an emergency measure necessary for the preservation of the public peace, health and safety of the City and its inhabitants for the reason that this Ordinance must be immediately effective in order to capture and maximize the value of the Increment, wherefore, this Ordinance shall take effect and be in force from and immediately after its adoption.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025, in compliance with the rules of Norwood City Council and the laws of the State of Ohio. The foregoing ordinance was submitted to the Mayor of the City of Norwood, Ohio for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was published on the City of Norwood’s website-news page at <https://norwoodohio.gov/news> and the City of Norwood’s Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

1st Reading _____
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date

EXHIBIT A

DESCRIPTION OF THE EXEMPTED PROPERTY

PARCEL NUMBERS

PPN: 651-0057-0086-00

PARCEL MAP



DESCRIPTION OF THE PUBLIC IMPROVEMENTS

The Public Infrastructure Improvements consist generally of acquiring and constructing the infrastructure described below:

- Construction, reconstruction, extension, opening, improving, widening, grading, draining, curbing or changing of the lines and traffic patterns of roads, highways, streets, bridges (both roadway and pedestrian), traffic calming devices, sidewalks, bikeways, medians and viaducts accessible to and serving the public, and providing lighting systems, signalization, and traffic controls, and all other appurtenances thereto;
- Construction, reconstruction or installation of improvements (including any underground utilities), storm and sanitary sewers (including necessary site grading therefore), police equipment and police station buildings and improvements, fire equipment and fire buildings and improvements, water and fire protection systems, and all other appurtenances thereto;
- Continued maintenance of public roads and highways and water and sewer lines;
- Construction, reconstruction or installation of gas, electric, and communication service facilities, and all other appurtenances thereto;
- Construction or reconstruction of one or more public parks, including grading, trees and other park plantings, park accessories and related improvements, and all other appurtenances thereto;
- Construction or installation of streetscape and landscape improvements including trees and shrubs, landscaping mounds and fencing, tree grates, planting beds, signage, curbs, sidewalks, street and sidewalk lighting, trash receptacles, benches, newspaper racks, burial of overhead utility lines and related improvements, and all other appurtenances thereto;
- Construction of one or more public parking facilities, including public surface parking and public parking structures and related improvements, and all other appurtenances thereto, including parking facilities in which all or a portion of the parking spaces are reserved for specific uses when determined to be necessary for economic development purposes;
- Demolition and excavation, including demolition and excavation on private property when determined to be necessary for economic development purposes;
- Acquisition of real estate or interests in real estate (including easements) necessary to accomplish the foregoing improvements;
- Any on-going administrative expenses relating to the Public Infrastructure Improvements and maintaining the TIF revenues, including but not limited to engineering, architectural, legal, TIF administration, and other consulting and professional services; and
- All inspection fees and other governmental fees related to the foregoing.

The Public Infrastructure Improvements specifically include the costs of financing the Public Infrastructure Improvements, including the items of “costs of permanent improvements” set forth in Ohio Revised Code Section 133.15(B), and incurred with respect to the Public Infrastructure Improvements, which “costs” specifically include any reimbursement payments for the reimbursement of the costs of the Public Infrastructure Improvements and the debt service on, and

other expenses relating to the issuance of, any bonds, notes, or other obligations issued to finance the Public Infrastructure Improvements.

All of the Public Infrastructure Improvements described above are hereby determined to be “public infrastructure improvements” (as defined in Ohio Revised Code Sections 5709.40(A)(8)) and are intended to directly benefit the real property described in Exhibit A.



City of Norwood Request for Ordinance, Resolution, Amendment, or Repeal

Date of Request: 12/1/2025	Date Needed: 12/9/2025
Request(s) should be submitted by Wednesday at noon, before the date needed for Council, earlier if possible.	
Requested By:	Keith Moore/Patrick Woodside
Contact:	kmoore@norwoodohio.gov
Document Requested:	Ordinance
Executive Summary of document needed:	
If an amendment or repeal request, list existing Ordinance Number(s)/Section(s) of Ordinance to be amended or repealed, etc. (or attach documents and/or copies as appropriate)	
Requesting an ordinance for the Lexington Avenue TIF.	
Action Requested:	Emergency - Three Readings at One Meeting with Immediate Effectivity
If an Emergency clause or suspension of rules for all three readings is needed, explain:	
Requesting emergency action.	
Special Notes/Instructions	
Exhibit A & B attached.	

Keith D Moore, Law Director
kmoore@norwoodohio.gov
 513-458-4585 / 513-258-5483

Tim Garry, Jr., Assistant Law Director
tgarry@norwoodohio.gov
 513-458-4588 / 513-312-1275 (rev. 01/09/2018)

ORDINANCE AUTHORIZING THE SAFETY-SERVICE DIRECTOR TO ENTER INTO A CONTRACT WITH ROLLAND SPECIALTY VEHICLES AND PRODUCTS AKA R.S.V.P. AMBULANCE FOR THE FINANCING AND PURCHASE OF A 2026 TRAUMAHAWK MODULAR AMBULANCE, AND DECLARING AN EMERGENCY

WHEREAS, the City of Norwood Fire Department requires a new 2026 Traumahawk Modular Ambulance to serve its citizens better, other people in Norwood in need of emergency medical and patient transportation services, and its employees in the performance of their duties; and

WHEREAS, the City's capital investment to purchase this equipment has been vetted with the State of Ohio Auditor's staff and has been called for in the most recent iteration of the City's Financial Recovery Plan; and

WHEREAS, the Fire Department has sought bids for the purchase of the ambulance, and all bids received reflected State of Ohio term pricing; and

WHEREAS, the bid submitted by Rolland Specialty Vehicles and Products (hereinafter "R.S.V.P.") for a 2026 Traumahawk Modular Ambulance was determined to be the lowest responsible bid and has been selected; and

WHEREAS, the Fire Department has made contact with R.S.V.P., 2845 York Street, Toledo, OH 43605, to arrange for the City's purchase of a 2026 Traumahawk Modular Ambulance for the sum of \$355,540.00, which purchase must be contracted now for the secure delivery, notwithstanding a delayed delivery date of 2028 due to manufacturing and supply chain issues; now therefore,

BE IT ORDAINED by the Council of the City of Norwood, State of Ohio, that:

SECTION 1. The Safety-Service Director is authorized to enter into a contract with R.S.V.P. for the purchase of a 2026 Traumahawk Modular Ambulance, furnished and outfitted as described in Exhibit A, for \$355,540.00, for the Norwood Fire Department, with an anticipated delivery of 2028 due to supply chain delays. All money is due upon delivery of the unit in 2028.

SECTION 2. The Auditor is hereby authorized and directed to execute, on behalf of the City, all necessary financing agreements to obtain financing for the purchase, and any other documents required to memorialize the City of Norwood's purchase of the 2026 Traumahawk Modular Ambulance described in this ordinance. The Council further authorizes each City official, whose signature is necessary, on behalf of the City, to properly execute any purchase agreement and any other documents required to accomplish the financing and purchase of the 2026 Traumahawk Modular Ambulance to provide his or her signature on the purchase agreement and those financing and ancillary documents, including, but not limited to signatories for the Council to prove the adoption by the Council of this Ordinance.

SECTION 3: The City Auditor is authorized to draw, and the City Treasurer is authorized to pay, warrants in the amounts and according to the terms described in Section 1, for the purchase of the 2026 Traumahawk Modular Ambulance, out of the **EMS CAPITAL FUND 1001-0843-7600**.

SECTION 4. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health, and safety, because immediate contractual authorization is necessary to secure the low bid price and prevent a likely price increase, and to ensure the future reliability of the City’s emergency medical service fleet when called into service.

PASSED _____
Date

Joseph S. Geers
President of Council

ATTEST:

Kelsi Goins, the duly appointed Clerk of Council, attests that this ordinance was passed at a regular/special meeting of Norwood City Council on the _____ day of _____, 2025 in compliance with the rules of Norwood City Council and the laws of the State of Ohio. The foregoing ordinance was submitted to the Mayor of the City of Norwood, Ohio for his signature on the _____ day of _____, 2025.

Kelsi Goins
Clerk of Council

APPROVED _____
Date

Victor Schneider
Mayor

CERTIFICATION OF PUBLICATION:

Kelsi Goins, the duly appointed Clerk of Council, attests that this resolution was published on the City of Norwood’s website-news page at <https://norwoodohio.gov/news> and the City of Norwood’s Facebook page at <https://www.facebook.com/NorwoodOhio.gov> on _____ and _____.

Kelsi Goins
Clerk of Council

ORDINANCE READINGS

1st Reading _____
Date

2nd Reading _____
Date

3rd Reading _____
Date

All 3 Readings _____
Date

Tabled _____
Date

Vetoed _____
Date

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
01-FM-T101		-- Location: Shipped Loose	1	0.00	0.00
01-TU-0112		-- Jack and Tire Tools: Install behind Passenger's seat	1	0.00	0.00
01-FM-4WH		-- Wheel Finish: Polished SS Wheel Simulators (F-550)	1	0.00	0.00
01-FM-DL01		-- Cab Door Locks: Power XLT- Auto Lock,Auto Unlock Standard	1	0.00	0.00
01-FM-DTR		-- Ford F series High center mount brake light ordered with chassis	1	0.00	0.00
01-FM-FSA0		-- Shock Absorbers: OEM, HD Gas Type, 1.38 inch	1	0.00	0.00
01-FM-FSW		-- Front stabilizer (Sway) Bar: OEM, 1.00 inch bar diameter	1	0.00	0.00
01-SZ-0008		-- Ford Type 1 F OEM Backup camera Kit ,Declined, Use different camera ILOS	1	-273.00	-273.00
		Return camera kit and harness system to PDI group, Keep at AEV.			
01-TP-0015		-- Chassis has OEM Tire Pressure Warning System	1	0.00	0.00
04-SU-1105		-- Ford F450/550 Liquid Spring Front Strut Suspension ILOS	1	8248.00	8248.00
		> Integrated with Rear Axle Liquid spring suspension.			
		> Kneeling feature on demand			
		> 7,000 lbs GAWR			
		>> NOTE: Once installed on a chassis it cannot be removed. The chassis is slightly modified to install this item.			
04-SU-1729		-- Liquid Spring Rear Suspension: F-450 /550 2022+	1	0.00	0.00
		NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed			
		Part: SUSP-DS147FS4A			
01-TT-0208		-- ""DETAIL"" Liquid Rear Suspension Decal Install	1	0.00	0.00
		Prior to delivery, detail department is to install a Black Decal on the dash:			
04-SU-0601		-- Kneeling Feature: Enable Switch Located in CAB console	1	0.00	0.00
04-SU-0610		-- Kneeling Feature: Activated by TRAILING rear access door	1	0.00	0.00
04-SU-0651		-- Exhaust system termination point: OEM Location, Rt Rear	1	0.00	0.00
04-SU-2024		-- Liquid spring controller installed on driver side of console, recessed forward	1	0.00	0.00
		see console print			
04-SU-220Y		-- Liquid Spring Surcharge Jan 9 2024	1	909.00	909.00
04-SU-03F6		-- Rear Stabilize (Anti-Sway) Bar: OEM, Ford F-450/550	1	0.00	0.00
01-FU-0130		Fuel Surcharge, F-350/450/550, All-WB Chassis, DR-92 & Larger	1	80.00	80.00
06-EA-01FD		== 172 x 96 T-1 LWB Ford X-Series, Conversion - 38.004 07/14/25 == Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel AML1	1	119.00	119.00
01-Y0-0002		BODY Generation 10	1	0.00	0.00
02-00-0003		-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	0.00	0.00
02-B2-XO93	S	Body, Mod: Type 1 LWB, 176" x 96" x 74" Interior HR - 6" Body Drop x	1	775.00	775.00
02-00-3000		*****WIDE AISLE UNIT -Wide ILOS***** >> To do items; Reduce depth by 1.5" from std to 18" on M-2, M-3, M-6. REQUIRED Change Rear doors to wider width 50 3/4", . >> Must pick type of wheel well closeout as they are required.	1	234.00	234.00
02-W1-WW0		-- Wheel well Closeout: Interior, Rounded Speedliner Dark Gray	1	302.00	302.00
		Covers to be coated Speedliner Dark Gray prior to installation.			
02-00-0006	S	-- Headroom: 74" Finished Interior - Ducted A/C	1	0.00	0.00
02-00-0060		-- Compartment and Entry door Full length Stainless Steel Hinges std	1	0.00	0.00
02-B0-CC01		-- Compartment Construction: STANDARD, Unless Specified Otherwise	1	0.00	0.00
		Sides and Back: .100 Polished Aluminum Diamond Plate			
		Compartment Ceiling: .090 Aluminum Sheet			
02-B0-SFL0		-- Compt Floors: Sweep-out, even with bottom door jamb	1	0.00	0.00
		Unless Specified Otherwise.			
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-B0-CC18		-- Compartment Ventilation - Flap style #VT-2495-A01, STD	1	0.00	0.00
02-B0-CEX2		-- Curbside Entry Door (CSE): 84.813"H x 31.0"W X w/6" drop T1 T9	1	0.00	0.00
02-B0-09B2		-- C/S Door Check : Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-B0-CERL		-- Curbside Entry Door (CSE) Location: Forward of M-7 Compartment	1	234.00	234.00
02-B1-SWX2		-- Step Well, CURBSIDE Entry Door, 2-Step Embossed Diamond Plate X series	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		(2) Steps : 9" Risers x 10" Tread on horizontal surfaces only			
05-IL-09X1		-- Light, Step Well: 3" Kinequip #4302S, Chrome, LED, STD Light shall come on with CS door or with right flood switch.	1	0.00	0.00
05-IL-09XA		-- IATS Light, Step Well: 3" Kinequip #430204S, Chrome, LED Light shall come on with CS door or with right flood switch.	1	56.00	56.00
02-BE-0005		-- Entry Door Trimark Free Float Polished CNC Finish STD	1	0.00	0.00
02-BC-0604		-- Talk through, Cab to Mod Window (T1) With Sliding Window 2020+ F	1	0.00	0.00
02-BD-0120		-- Body Drop: 6" Both Sides, Ahead of Rear Wheels	1	234.00	234.00
02-X1-M149		-- M-1 Compt (LF): 61.5" H x 22.125" W x 20.0" D	1	0.00	0.00
02-B0-CC02		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	0.00	0.00
02-B0-CC16		-- Compartment Door Ventilation - small punched half-moon Louvered Door	1	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-BE-0010		-- Compartment Left -Single Door Handle Trimark Polished 030-1875 STD	1	0.00	0.00
05-EL-4T10		-- Light, Cmpt: TecNiq E44 Strip Light, E44-W440-1 - ILOS MTB Note: No light hole required Location: Light Strip to be installed on all sides (Except Bottom) Strip length 198" maximum, Strip to be cut to length by manufacturing and connectors installed.	1	203.00	203.00
08-B1-02LI		-- Prep for 02 Lift: NONE	1	0.00	0.00
02-X1-M1AD		-- M-1A Comp (LF Upper):72 HR, 17.56" H x 22.125" W x 20.0" D	1	0.00	0.00
02-B0-CC02		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	0.00	0.00
02-B0-CC1B		-- Compartment Ventilation - M-1A Pancake Fan & 1-Column of Louvers	1	76.00	76.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-BE-0010		-- Compartment Left -Single Door Handle Trimark Polished 030-1875 STD	1	0.00	0.00
05-EL-4T28		-- Light, Cmpt:TecNiq E44 Strip Light, E44-W12V-1, 54": Install IATS MTB Note: No light hole required Part Number LITE-E44W12V1 Location: On compt jamb, Door Open side	1	88.00	88.00
02-X1-M276	S	-- M-2 Compt (LFM): 40.5" H x 49.875" W x 18" D	1	0.00	0.00
02-B0-CC02		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-B1-BIOX		-- Bio-Waste: Diamond Plate Closeout for Bio in A/A Dogleg for interior access bio-waste. 17" W x 13"H and compartment depth less 2".	1	0.00	0.00
02-B1-ELEH	H	-- Electrical Compartment : Circuit Board Storage relocated to cabinet	1	0.00	0.00
02-BC-10D0		-- Doors, Compartment, DOUBLE DOORS (std)	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-BE-0012		-- Compartment Left -Double Door Handles Trimark Polished 030-1875	1	0.00	0.00
		STD			
04-TS-11D3		-- M-2 Shelf, Adjustable, Ext: .125 Smooth Alum, 2" Upward lip	1	0.00	0.00
04-TS-4010		-- Shelf Bracket: 90 Deg with Slotted Holes	1	0.00	0.00
05-EL-4T10		-- Light, Cmp: TecNiq E44 Strip Light, E44-W440-1 - ILOS	1	203.00	203.00
		MTB Note: No light hole required			
		Location: Light Strip to be installed on all sides (Except Bottom)			
		Strip length 198" maximum, Strip to be cut to length by manufacturing and connectors installed.			
05-HA-1316		-- Condenser, 12V: #25062, Dual Fan, Front of Module as part of HWP purchased for the medium duty units.	1	1024.00	1024.00
04-HA-1312		-- COOL BAR Front of Body, (5) - WARNING LIGHTS Pre-Drilled M9 #WEDGE-HVACM9 Use of the wedge is subject to engineering review and approval for Light duty Type III models.	1	1744.00	1744.00
04-HA-1362		-- Warning Lights installed on Condenser cover	1	0.00	0.00
12-B0-0002		-- Painted Part- Painted White YZ Std	1	0.00	0.00
12-B0-0002		-- Painted Part- Painted White YZ Std	1	0.00	0.00
06-RR-13Z0		-- Standard Conduit: 1-1/2", with pull wire	1	0.00	0.00
06-RR-13O4		-- CONDUIT ORIGINATION POINT: M-2 compartment	1	0.00	0.00
06-RR-13T3		-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)	1	0.00	0.00
06-RR-13Z1		-- Conduit #2 1-1/2" diameter, with pull wire, Type 1 units Std	1	0.00	0.00
06-RR-13O1		-- CONDUIT ORIGINATION POINT: Electrical Circuit board cabinet	1	0.00	0.00
06-RR-13T2		-- CONDUIT TERMINATION POINT: Behind Driver's seat	1	0.00	0.00
02-X1-M377	S	-- M-3 Compt (LR): 34.5" H x 36" W x 18.0" D	1	0.00	0.00
02-B0-CC02		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B2		-- Door Swing Angle: Set to 110 -120 degrees	1	0.00	0.00
02-BE-0010		-- Compartment Left -Single Door Handle Trimark Polished 030-1875	1	0.00	0.00
		STD			
05-EL-4T10		-- Light, Cmp: TecNiq E44 Strip Light, E44-W440-1 - ILOS	1	203.00	203.00
		MTB Note: No light hole required			
		Location: Light Strip to be installed on all sides (Except Bottom)			
		Strip length 198" maximum, Strip to be cut to length by manufacturing and connectors installed.			
02-X1-M574		-- M-5 Compt (RR): 72 HR, 82.812" H x 25.625" W x 21.5" D	1	0.00	0.00
02-B0-CCM5		-- M-5 Compartment Construction: Smooth Aluminum ILOS	1	0.00	0.00
02-B0-CC09		-- Compartment Door Panel: Smooth Aluminum	1	0.00	0.00
02-B0-CFO5		-- Compartment Surface Finish: Speed Liner, Gray - M-5	1	348.00	348.00
02-B0-CFN1	S	-- Component Finish (Shelf/Tray/Divider): Speedliner Each Choice of BLACK or GRAY coating	4	72.00	288.00
02-B0-CC12		-- Compartment Ventilation - Compartment Ceiling O O O O MTB NOTE: hat channel with three (4") holes above the hat at the ceiling level.	1	0.00	0.00
02-B0-CC16		-- Compartment Door Ventilation - small punched half-moon Louvered Door	1	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-BE-0020		-- Compartment Right -Single Door Handle Trimark Polished 030-1875	1	0.00	0.00
		STD			
04-TS-15M7		-- Dividers & Shelf System: Specialty NY System (1) fixed divider full height x full depth mounted 12" off forward right hand wall of M-5. (1) fixed shelf mounted 40" off floor in area between fixed divider and wall (2) adjustable shelves mounted in upper area between fixed divider & wall, above the fixed shelf.	1	278.00	278.00
04-TS-1008		-- Divider & Shelf Material: .125 smooth Aluminum Sheet	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
04-TS-STR8		-- Straps: (2), 2" Webb, w/ Seatbelt style Buckle, Custom made lengths IATS (1) in full height backboard storage area (1) in lower half height stair chair storage area This strap is to secure things from moving while the vehicle is in motion, it is not designed to be a crash stable securing device.	1	90.00	90.00
04-TS-STR2		-- 2" Footman Loops: Locate back from jamb	2	0.00	0.00
05-EL-4T10		-- Light, Cmpt: TecNiq E44 Strip Light, E44-W440-1 - ILOS MTB Note: No light hole required Location: Light Strip to be installed on all sides (Except Bottom) Strip length 198" maximum, Strip to be cut to length by manufacturing and connectors installed.	1	203.00	203.00
02-X1-M675		-- M-6 Compt (RRFwd): 19.0" H x 10.5" W x 20.0" D	1	0.00	0.00
02-B0-CC02		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	0.00	0.00
02-B0-CC41		-- Compartment floor thickness .125" standard	1	0.00	0.00
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	0.00	0.00
02-BE-0020		-- Compartment Right -Single Door Handle Trimark Polished 030-1875	1	0.00	0.00
		STD			
05-EL-4T10		-- Light, Cmpt: TecNiq E44 Strip Light, E44-W440-1 - ILOS MTB Note: No light hole required Location: Light Strip to be installed on all sides (Except Bottom) Strip length 198" maximum, Strip to be cut to length by manufacturing and connectors installed.	1	203.00	203.00
06-IG-04C1	S	-- Expanded Aluminum Cover: Over Compressors	1	88.00	88.00
02-X1-M775		-- M-7 Compt (RF): 72 HR, 67.5" H x 25.25" W, I/O to ALS x 21" Deep Below Floor	1	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	0.00	0.00
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	0.00	0.00
04-EA-09B2		-- Door Swing Angle: Set to 110 -120 degrees	1	0.00	0.00
02-BE-0020		-- Compartment Right -Single Door Handle Trimark Polished 030-1875	1	0.00	0.00
		STD			
05-EL-4T28		-- Light, Cmpt: TecNiq E44 Strip Light, E44-W12V-1, 54": Install IATS MTB Note: No light hole required Part Number LITE-E44W12V1 Location: On compt jamb, Door Open side	1	88.00	88.00
02-X1-M888		-- M-8 Drawer (RF): NONE. Batteries Under Hood	1	0.00	0.00
05-ZZ-ZZZZ		--	1	0.00	0.00
02-X1-RA0J		-- Rear Access Doors: 50.75" Wide x 60.625" High W/ Tri-mark 030-1875 Black Handles HAND-32326-02,32327-02	1	81.00	81.00
09-IN-3STX		-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	0.00	0.00
09-IN-3STY		-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	0.00	0.00
04-TS-1018	S	-- Aluminum corner SCBA mounting plates 23" tall per plate installed Install in forward corner of M2 and M3 compartments see print, Set plate 13" up from bottom of compartment. Cost is per plate installed.	2	63.00	126.00
WELDING - CELL 1					
04-AS-1800		-- Stainless Steel - Sill protection: For the following compartments	1	0.00	0.00
04-AS-18M1		-- M-1: Left Front Compartment - Single Bend	1	71.00	71.00
04-AS-18M2		-- M-2: Left Front Middle Compartment - Single Bend	1	71.00	71.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
04-AS-18M3		-- M-3: Left Rear Compartment - Single Bend	1	71.00	71.00
04-AS-18M5		-- M-5: Right Rear Compartment - Single Bend	1	71.00	71.00
04-AS-18M6		-- M-6: Right Rear Compartment - Single Bend	1	71.00	71.00
04-AS-18M7		-- M-7: Right Front Compartment - Single Bend	1	71.00	71.00
04-TS-HOO		Hooks, Equipment, (1 Pair) FW-559, Installed (1) M2 Compartment - Hook Center on back wall (1) M3 Compartment - Hook Center on back wall	1	96.00	96.00
04-00-0001			1	0.00	0.00
04-AS-06A1		Fuel Fill: CPI Housing with Drain 53 FGT0053-1-238	1	0.00	0.00
04-AS-0200		-- Fuel over Fill protection plate: Diamond plate 12" Wide diamond plate shield shall be contoured to fit under the fuel filler housing.	1	47.00	47.00
04-AS-080N		Urea fill DELETED GASOLINE ENGINE CHASSIS NO HOLE CUT	1	0.00	0.00
04-BP-F14X		BODY PROTECTION AND TRIM PACKAGE: F3/4/550 X-Series Units	1	0.00	0.00
04-AS-0370		-- Wire/Hose Cover : Diamond Plate, Between Cab & Module	1	0.00	0.00
04-AS-0382		-- Pass-Thru cab mounted wind deflector - Aluminum Diamond Plate	1	0.00	0.00
04-BW-ABY1		-- Bumper, Rear: X-Series 1/9 96" Wide w/ Embossed D/P Pontoon Covers X-Series Design. MTB; Delete std bumper.	1	0.00	0.00
04-BW-FLIW		-- Step, Center:2" x 9" Bar Grate, flip-up, recessed Standard with X series,> AEV builds MTB delete flip up step.	1	0.00	0.00
04-EA-1306		-- Dock Bumpers: Rubber D-Shape, 4" H x 18" W x 4" Thick X -series	1	0.00	0.00
04-BW-AF19		-- Fenders, Rear: Polished Aluminum	1	0.00	0.00
04-BW-DN0		-- Corner Caps "X Series:	1	0.00	0.00
04-BW-DN2		-- Front Corner Caps: 24.0" High, Alum Diamond Plate X Series Include from MTB If there is a body drop, add the appropriate height to Corner Caps.	1	0.00	0.00
04-BW-DN3		-- Rear Corner Caps: 24" High, Polished Diamond Plate, X-Series Include from MTB If there is a body drop, add the appropriate height to Corner Caps.	1	0.00	0.00
04-BW-DP2		-- Rear Kick Plate: Aluminum D/P, Recessed, X-Series 96" wide STD Type 1 Delete standard rear kick-plate from MTB	1	0.00	0.00
04-EA-2504		-- Rear Recovery Eyes: (2) Cast Iron 2 9/16" center eye Black 1-3/16" ID center eye	1	341.00	341.00
04-EA-25A1		-- Bezel: Cast Housing : For Tow Eyes CPI BC0013 (2) HOUS-13	1	144.00	144.00
04-AS-0507		-- Holder, License Plate, CPI LP0002-1-D-UA with LED lights Delete standard Tag cut out.	1	87.00	87.00
04-AS-0520		-- Location, kickplate centered under rear doors	1	0.00	0.00
05-EL-44XL		-- Rear Flip up Step Lights, (2), Kinequip LED Strip light #KFL-SLC8 Mounted above rear bumper flip up step, in kick-plate recess	1	0.00	0.00
04-BW-DP93		-- Front Stone Guards: 24.0" High, Alum Diamond Plate If there is a body drop, add the appropriate height to Stone Guards.	1	0.00	0.00
04-BW-DPY		-- Skirt Rails: Polished D/P, w/ 12-inch LED Lights, X-series >> MTB, >Built by AEV	1	0.00	0.00
05-EL-SKXB		-- Skirt rail Lights, Front Pair 12" LED (1) Each side, forward position, in front skirt rail	1	0.00	0.00
05-EL-SKV0		-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	0.00	0.00
05-EL-SKXC		-- Skirt rail Lights, Middle Pair 12" LED (1) Each side, rear position, in front skirt rail	1	0.00	0.00
05-EL-SKV0		-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	0.00	0.00
05-EL-SKXD		-- Skirt rail Lights, Rear Pair 12"-LED (1) Each side, in rear skirt rail	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
05-EL-SKV0		-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	0.00	0.00
05-EL-SKZ1		-- Skirt rail Lights Switched: Separate Switch in the Cab console	1	0.00	0.00
05-EL-SLHX		-- LED Ground Lights: (6) Kinequip White 12" -LED lights, In Skirt rails x	1	0.00	0.00
05-EL-SLGY		-- LED Ground Lights Switched: The underbody lights work off a switch in the console or with any entry or compartment door.	1	0.00	0.00
04-EA-09A0		(2) Rear Door Hold Opens: Grabber Style, 1 on each door	1	0.00	0.00
04-EA-14XF		Running Boards: Embossed D/P, w/Bar Grate Insert, D/F(4) 12" lights X ILOS	1	262.00	262.00
04-EA-1123		-- Mud Flaps Front: Modular, Rubber, Dodge Type 1	1	0.00	0.00
04-EA-1132		-- Mud Flaps Rear: Modular, Rubber AEV LOGO	1	0.00	0.00
05-EL-39X4		-- Lights, Cab Step: 2" White LED , surface mount on box front, (#TOCACCCR) - x ser Chrome Flange Activate by Cab Doors. Constant Hot.	1	0.00	0.00
05-EL-SKV6		-- (2) Skirt rail LED Strip Lights, Red/White 12" IATS NOTE: Mount Red On TOP and Clear on Bottom	2	312.00	624.00
05-EL-SLJB		-- LED Ground Lights: (2) Kinequip White 12" -LED lights, IATS Lights to stay on 30 seconds after all doors are closed.	2	200.00	400.00
05-EL-SLGY		-- LED Ground Lights Switched: The underbody lights work off a switch in the console or with any entry or compartment door.	2	0.00	0.00
04-ZZ-ZZZZ		EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2	1	0.00	0.00
05-00-0001			1	0.00	0.00
05-EL-1800		CORNER CAP LED ICC/WARNING LIGHTS	1	0.00	0.00
05-EL-18F0		-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	0.00	0.00
05-EL-18FX		-- Front Center ICC Lts: (3) AMBER Kinequip LED #KML-A-SC Chrome ILOS Switch w/ Headlights.	1	27.00	27.00
05-EL-18R5		-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	0.00	0.00
05-EL-18RX		-- Rear Center ICC Lts: (3) RED Kinequip LED #KML-R-SC Chrome ILOS Switch w/ Headlights	1	27.00	27.00
06-SW-CC0		-- ICC Warning Lights Switched: Primary Only	1	0.00	0.00
05-EL-2503		LED Lights, Patient on Board, X-Series Units Install lights in the following locations : M-1A Compartment - On Door panel, Outer lower corner M-1 Compartment - On Door panel, Outer Edge, Centered Top to Bottom M-2 Compartment - On Forward Door panel, Upper outer corner M-2 Compartment - On Trailing Door exterior, Upper outer corner M-3 Compartment - On Door panel, Outer Edge, Centered Top to Bottom M-5 Compartment - On Door panel, Outer Edge, Centered Top to Bottom M-6 Compartment - On Door panel, Outer lower corner M-7 Compartment - On Door panel, Outer Edge, Centered Top to Bottom C/S Entry Door - Below Center panel, Outer Edge Rear Entry Doors - (1) each door, Below Center panel, Outer Edge A Total of (11) Lights	1	0.00	0.00
05-EL-252C		-- Red/White LED POB Light, Kinequip Each, X-Series Units	11	0.00	0.00
05-EL-256X		-- Lights Switched with Entry Door Switch	1	0.00	0.00
05-EL-42XX		TAIL LIGHTS	1	0.00	0.00
05-EL-23X2		-- Tail Lights, Whelen LED Combinations , STD, X-Series	1	0.00	0.00
05-EL-19MO		-- Side Marker Lights: (2) RED Kinequip LED No 112401RD ILOS Switch w/ Headlights.	1	0.00	0.00
05-EL-2414		-- Whelen M6 Series, Tail Lights	1	0.00	0.00
05-EL-2420		-- Stop/Tail, Whelen M6 Series, LED, Pair RED LED/ RED LENS	1	69.00	69.00
05-EL-2426		-- Turn, Whelen M6 Series, LED, Pair Amber LED, Amber LENS	1	62.00	62.00
05-EL-2432		-- Back up, Whelen M6 Series, LED, Pair	1	154.00	154.00
05-PH-LF24		-- M6 Series Flange, Chrome Plated, Std: Three Pair	1	0.00	0.00
05-EL-43DL		Third (3rd) Brake Light: NONE	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
05-EL-4584		SCENE/FLOOD LIGHTS (LED-M9 Series)	1	0.00	0.00
05-EL-46CH		-- Firetech Mini-Brow Lights 3 on Artic Wedge Group	1	0.00	0.00
05-EL-46A2		-- Front (2) FireTech Mini Brow Single Row FT-MB-9-FTB Black	1	1279.00	1279.00
		Lights will have end cap mounting black brackets			
		One light with Switch LEFT			
		One light with switch RIGHT			
05-EL-46A7		-- Front FireTech Mini Brow 15 LED FT Optics 20" Long Black Each	1	1171.00	1171.00
		Light will have end cap mounting brackets			
		One Switch/Icon For Center Brow Light combination spot and flood optics.			
05-EL-45L4		-- Left Scene Lights: (2) LED-M9ZC Chrome Flange Whelen	1	659.00	659.00
05-EL-0224		-- Flanges: Above M9 Scene lights, Incorporated into lights	1	0.00	0.00
06-EL-18LF		-- Left Flood Activate: Left Flood Switch	1	0.00	0.00
05-EL-45T4		-- Right Scene Lights: (2) LED-M9ZC, Chrome flange Whelen	1	659.00	659.00
		Chrome Flange provided with purchase of Light.			
05-EL-0224		-- Flanges: Above M9 Scene lights, Incorporated into lights	1	0.00	0.00
06-EL-18RT		-- Right Flood Activate: Right Flood Switch and open CSE Door	1	0.00	0.00
05-EL-46R4		-- Rear Load Lights: (2) LED-M9ZC, Chrome flange Whelen	1	659.00	659.00
		Chrome Flange provided with purchase of Light.			
05-EL-0224		-- Flanges: Above M9 Scene lights, Incorporated into lights	1	0.00	0.00
06-EL-18RE		-- Activate: Rear Flood Switch, Reverse and Lead RA Door	1	0.00	0.00
06-EL-1800		-- Add Activation: Rearward Left and Right scene lights. come on w/ Reverse	1	55.00	55.00
05-HA-13XF		HVAC SYSTEM:Max, Ducted in Ceiling - Above Walk-Thru Ford F VENT-PROJECT X for return air	1	0.00	0.00
05-HA-0406		-- Water Pump: Installed required	1	0.00	0.00
05-HA-070X		-- FILTER, Return Air: HEPA Merv-17 Horizontal 10" x 20" X series	1	0.00	0.00
05-HA-13X9		-- Intermotive Module H-CVC-501-A-G Diesel Installed 2023+ F super Duty	1	0.00	0.00
05-HA-14AX		-- Return Air Grille- X series above walkway	1	0.00	0.00
05-HA-14C0		-- AC COMPRESSOR: Tee into OEM	1	0.00	0.00
05-HB-14QX		-- AC Evaporator: MAXX w/ dual fans	1	0.00	0.00
05-HA-1101		-- Condensation Drain Pan: Internal ABS	1	0.00	0.00
05-HA-1404		-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1	0.00	0.00
05-HA-140P		-- AC Hoses: Burgaflex Dual Clip, Hose and fitting system	1	0.00	0.00
05-HA-14B1		-- Filter, Washable Carbon Pre-Filter	1	0.00	0.00
10-HA-0304		-- Thermostat, Rear A/C, Digital, Class 1 LX-1, Includes Front Also Digital thru the LX1 system	1	0.00	0.00
05-HA-1501		Espar Heater System: None	1	0.00	0.00
05-IL-00X1		Ceiling Panels; white Aluminum Composite (2) piece X series	1	0.00	0.00
05-IL-01XR		-- Dome Lts, LED "LIGHT RAIL" 7' 6" White/Red LED X MTB NOTE: Requires X-Series Roof Structure design	1	0.00	0.00
05-IL-05T1		-- Timer, Constant Hot, Check out, Class 1 Multiplex System Activated with opening of either C/S or Rear Entry Doors.	1	0.00	0.00
06-EC-0914		-- 15 Minute Activation Light Circuit to stay on for 15 minutes when entry door is opened.	1	0.00	0.00
06-EC-09P1		-- Timer to Power: Street side DOMES, High intensity	1	0.00	0.00
09-MH-0761		-- IV Hook No 1: Austin Hardware IV 3113 Dual (Recessed Mount), ILOS	1	56.00	56.00
09-MH-08P0		-- LOCATION: OH chest area, primary patient on COT	1	0.00	0.00
09-MH-0762		-- IV Hook No 2: Austin Hardware IV 3113 Dual (Recessed Mount), ILOS	1	56.00	56.00
09-MH-08P4		-- LOCATION: Over Knee/Waist area, secondary patient on S/B	1	0.00	0.00
09-MH-2AC6		-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72 in, Yellow Antimicrobia	1	0.00	0.00
09-MH-2AY		-- Recessed S/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72 in, Yellow Antimicrobia Grab Rail will be recessed in a ABS pan.	1	0.00	0.00
Insulation PKG: X-Series units					

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
05-IN-3STX		-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	0.00	0.00
05-IN-3STY		-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	0.00	0.00
05-IN-4ST9		-- Insulation Sound Deadening: Generation 10 Floor	1	0.00	0.00
05-IN-5STX		-- Insulation: Walls/Ceiling, 1" Black Foam, X-Series units #INSU-ARM1	1	0.00	0.00
05-IN-6STX		-- Stepwell Insulation: Urethane Froth Insulation, STD X-Series units MTB #7208738	1	0.00	0.00
05-IN-6SXS		-- Black Sound Proofing, Doors & Select Walls, X-Series units INSU-KSU	1	0.00	0.00
05-IN-6SXT		-- Insulation: Circumferential PKG, 1 LEF Reflective, X-Series units #KSU-F1250	1	0.00	0.00
LIGHTBAR(S) / LIGHTBAR ALTERNATIVE LIGHTS					
05-LB-6240		-- Front of Module M Series LED System - 92" and wider	1	0.00	0.00
05-LB-6624		-- Whelen, M9 Series LED	1	0.00	0.00
05-LB-6895		-- Flasher for LED front of module	1	105.00	105.00
05-PM-LT05		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable iats	4	333.00	1332.00
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	4	0.00	0.00
05-LB-6900		-- Alternative Lightbar Switching, Prim/Sec	1	0.00	0.00
05-SY-LTMF		WHELEN M- SERIES LED WARNING LT SYSTEM - F-series LTD	1	0.00	0.00
05-FS-1005		-- Flasher: Through Multiplexed System - Dual Mode System Compliant	1	0.00	0.00
05-FS-10P2		-- Flash Pattern: KKK-A-1822	1	0.00	0.00
06-AA-3000		-- Headlight Flasher: Whelen Model SSFPOS, Installed For Daytime Use ONLY	1	266.00	266.00
06-AA-0310		-- Flasher Operation: 49-state, Separate switch in Console Flasher will disengage with headlights turned to ON.	1	0.00	0.00
05-PH-LSX9		-- Mirror Lights: NONE	1	0.00	0.00
05-PH-LSY5		-- (2) Grille Lights: Whelen M2, Wide Angle,	1	0.00	0.00
05-PG-2005		-- Grill or Int. M2 Chrome Flange Each	2	0.00	0.00
05-PG-2050		-- Grille or Int M2 Wide Angle Red LED, Clear Lens-Prog. Each	2	126.00	252.00
05-PG-2005		-- Grill or Int. M2 Chrome Flange Each	2	0.00	0.00
05-PG-2050		-- Grille or Int M2 Wide Angle Red LED, Clear Lens-Prog. Each	2	126.00	252.00
05-PM-LE09		-- (2) Intersection Lights: Whelen M2 Series, Wide Angle LED	1	0.00	0.00
05-PG-2005		-- Grill or Int. M2 Chrome Flange Each	2	0.00	0.00
05-PG-2050		-- Grille or Int M2 Wide Angle Red LED, Clear Lens-Prog. Each	2	126.00	252.00
05-PM-LF70		-- (1) Center Front Body Light: Whelen M9 Series, LED	1	0.00	0.00
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	1	0.00	0.00
05-PM-LRK1		-- Light: Whelen M9, LED, WHITE LED/CLEAR Lens, Programmable ea ilos	1	350.00	350.00
05-PM-LG70		-- (2) Outer Front Body Lights: Whelen M9 Series, LED	1	0.00	0.00
05-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1	0.00	0.00
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	2	350.00	700.00
05-PM-LH70		-- (4) Upper Side Body Lights: Whelen M9 Series, LED	1	0.00	0.00
05-PH-LF14		-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	0.00	0.00
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	4	350.00	1400.00
05-PM-LI50		-- (2) Rear Intersection Lights: Whelen M7 Series, LED	1	82.00	82.00
05-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	2	0.00	0.00
05-PM-LR24		-- LED M7 Red - Pair	1	0.00	0.00
05-PM-LRA3		-- Light, Whelen LED M7 Red LED/Clear Lens - Programmable ILOS	2	161.00	322.00
05-PM-LJ70		-- (2) Outer Rear Body Lights: Whelen M9 Series, LED	1	0.00	0.00
05-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable	2	350.00	700.00
		ILOS			
05-PM-LK70		-- (2) Additional Rear Body Lights: Whelen M9 Series, LED	1	0.00	0.00
05-PH-LT6B		-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1	0.00	0.00
05-PM-LT05		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable iats	2	333.00	666.00
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	0.00	0.00
06-EL-2499		-- Brake Light Override: Wire into rear warning lights above	1	183.00	183.00
		Includes FLAS-ULF44 (1) Flasher unit to flash lights during warning cycle.			
06-EL-2501		-- Override Function: During ALL modes of operation	1	0.00	0.00
05-PM-LL30		-- (1) Center Rear Body Light: Whelen M6 Series, LED ILOS	1	0.00	0.00
05-PH-LF20		-- M6 Series Flange, Chrome Plated, Std. Each	1	0.00	0.00
05-PM-LRG		-- Light: Whelen M6, LED, AMBER LED/CLEAR Lens, Flash, ILOS	1	193.00	193.00
05-PN-KPM		-- Additional Kick Plate Lts, On Rear : NONE	1	0.00	0.00
05-PZ-09B4		-- LED Program Switch : NONE	1	0.00	0.00
05-ZZ-ZZZZ			1	0.00	0.00
ELECTRICAL - CELL 3					
05-IL-12MS		-- Cab Ovhd Lights: (1), Whelen 60CREGCS Red/White LED 6-inch	1	198.00	198.00
11-ZZ-090D		-- CAAS GVS 3.0 Exception C.8.5.5 Lack of Automatic Anti-Theft device for Idling Exception notice for lack of an Automatic engaging security idle lock.	1	0.00	0.00
06-AM-SAH		-- AEV Traumahawk Telematics Declined, Not required	1	-1300.00	-1300.00
06-BA-3F46		Batteries: 2 - Battery System - Type I OEM AGM Batteries FORD	1	0.00	0.00
06-BA-3F5B		-- Batteries: (2) Underhood (Type I) AGM	1	0.00	0.00
06-BA-3FJ1		-- Battery Make: (2) OEM Battery Brand must match.	1	0.00	0.00
06-BA-Q631		-- Battery Switch: Cole Hersee 2484-16 Paddle, T1 center console SWITCH LOCATION: Drivers' side of center cab console.	1	0.00	0.00
06-BA-3FW4		-- Batteries Wired: Parallel for higher amperage	1	0.00	0.00
06-EC-056C		POWER Door Locks: Module Doors, X-Series Units type 1 Ford	1	0.00	0.00
06-EC-050B		-- Door Locks, Tied into OEM System X series Type 1 Ford	1	0.00	0.00
06-EC-0512		-- OEM Key Fob: Included w/Chassis Unlock Mod Doors Must also operate the Module Power Door Locks Optioned.	1	0.00	0.00
06-EC-05B9		-- Door Lock Switches : Integrated in Interior Entry door Handles -x	1	0.00	0.00
06-EC-05M0		-- ONLY the following doors shall have power door locks:	1	0.00	0.00
06-EC-05X0		-- Electric Door Lock: (M-1A) Upper Left Front Compartment,	1	0.00	0.00
06-EC-05X1		-- Electric Door Lock: (M-1) Left Front Compartment	1	0.00	0.00
06-EC-05X2		-- Electric Door Lock: (M-2) Left Middle Compartment	1	0.00	0.00
06-EC-05X4		-- Electric Door Lock: (M-3) Left Rear Compartment	1	0.00	0.00
06-EC-05X6		-- Electric Door Lock: Rear Access Doors	1	0.00	0.00
06-EC-05X7		-- Electric Door Lock: (M-5) Right Rear Compartment	1	0.00	0.00
06-EC-05X9		-- Electric Door Lock: (M-6) Right Rear, Forward Compt	1	0.00	0.00
06-EC-05XA		-- Electric Door Lock: Curbside Access Door	1	0.00	0.00
06-EC-05XB		-- Electric Door Lock: (M-7) Right Front Compt	1	0.00	0.00
06-EC-081X		-- Remote Keypad #1: Installed, Horizontal X-Series Units MTB to cut mounting holes per provided drawing.	1	0.00	0.00
06-EC-0816		-- Location: By Curbside Door	1	0.00	0.00
06-EC-2800		-- Door Unlock Switch, Momentary, Exterior, hidden NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	1	60.00	60.00
06-EC-0802		-- Location: Front Grille/Bumper Area	1	0.00	0.00
06-EC-2860		-- Backeye 360 AI HD 4-camera and 7" monitor system - Brigade 360 Cameras with AI technology to identify humans and help eliminate blind spots cameras are oval shaped, Black/ Gray colored. CAMR-7524 Kit with four HD AI cameras and CPU MONI-5611 7" hd lcd Monitor	1	3287.00	3287.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		Body side cameras mounted high at center of Truck (Bumper to Bumper) (1) rear camera (1) front camera mount at front grille. (1) 7" monitor			
06-EC-300F		-- Monitor mounting arm 2020 Ford F to Brigade Monitor Mounts to Existing OEM Mirror mount - CAMR-RVS619UM	1	79.00	79.00
06-EC-31G6		-- Camera Color: as received May be black or gray color	4	0.00	0.00
06-EC-4300		Back-up Alarm: Standard 102 DB	1	0.00	0.00
06-EC-CCX2		Circuit Board, 12 V: Multiplex LX1 F3/4/550 X-Series STD Rear Digital Thermostat/Control for A/C, includes front. Voltage Monitor, LX-1 with Warning light LX-1 Standard Module door open alarm and icon at Front Display Sequencer, LX-1 with Load manager. Door Open 15-minute check out timer for _____ Oxygen Contents Gauge front and back (5) Minute Auto Battery Switch Shutdown (Kill Circuit)	1	0.00	0.00
05-LB-6920	S	-- Alternative Lightbar Switching, Separate Switch, Light Bar Separate switch to control Warning light incase Multiplex panel malfunctions	1	0.00	0.00
06-EC-CB07		-- Circuit Protection, 12 V: FET - Auto-reset	1	0.00	0.00
06-EC-SP91		-- LX1 Main Switch Panel Special Ultra View UV800 PCAp with 10 button lighted ILOS Install PANL-UV800 1 (610-00060-080-ST) 7 inch full color display, . Full touch-screen readable through gloves and mist. Sunlight readable, IP67 sealed.	1	179.00	179.00
06-EC-SPA		-- On Cab Console with ramp wedge F series	1	0.00	0.00
06-EC-SPZ0		-- Patient Area LX1 Panel:	1	0.00	0.00
06-EC-SPZ2		-- Pt Area LX-1 Switch Panel, UV800 with 10 Smart Switches ILOS UV800 7 inch display touch screen with 10 button smart switch surround bezel with LED color lighted buttons with legends. mounts recessed with bezel.	1	1560.00	1560.00
06-EC-SPD1		-- Switch Panel Located: Streetside A/A	1	0.00	0.00
06-EC-SP70		-- Patient area switch panel mounted :flat to action wall std	1	0.00	0.00
06-EC-SPZ5		-- 2nd Pt Area LX-1 Switch Panel, UV800 with 10 Smart Switches IATS UV800 7 inch display touch screen with 10 button smart switch surround bezel with LED color lighted buttons with legends. mounts recessed with bezel.	1	2632.00	2632.00
06-EC-SPD2		-- Switch Panel Located: Curbside	1	0.00	0.00
06-EC-SP71	S	-- Patient area switch panel mounted on angled cabinet Angled cabinet to be longer than normal to fit an O2 outlet that is built into the forward portion. Forward of O2 will be the separate drug cabinet.	1	54.00	54.00
06-EC-SPZC		-- 3rd Patient Area Switch Panel: NONE	1	0.00	0.00
06-EC-T010		-- SmartTouch Switch Panel 5 Position x 1 Each Head of SB Function 1> Checkout Function 2> Side Scene Disable Function 3> Auto Shade Leading Rear Door, center panel Function 1> Checkout Function 2> Rear Flood Disable Function 3> Dump Disable Function 4> Auto Shade	2	518.00	1036.00
06-RR-F20F		-- Console, Engine Cover: CUSTOM - Aluminum - Speed Lined F Series-25-lbs Battery Switch to be located on left side of Console. Speedliner color-Black	1	967.00	967.00
AR-VS-TYL	U	-- ARV Style Console -Main Console- UV800 Siren (centered) ASTRO XTL 5000 Mobile Radio on main console portion Mic clips on left and right side of radios -Add-On-	1	311.00	311.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
APX 1500 Single-Band P25 Mobile Radio at Top					
Cup holders in between armrests					
(2) Glove holder back wall, Speedlined Black					
06-RR-F250		-- Aluminum console Speedliner Coating one piece up to 48"	1	262.00	262.00
06-RR-F255		-- Aluminum ADD on Speedliner Coating	1	94.00	94.00
Must be same coating color as primary console at same time					
06-RR-S500		-- Aluminum Console Drawing request	1	0.00	0.00
AEV Engineering to develop drawing for console and send to Account manager for approval prior to release.					
Console to include standard items.					
Removable top panel, inset					
Front location for Switch panel.					
all other items at special cost.					
07-RR-020F		-- Add-on Console: Type 1	1	227.00	227.00
07-RR-02A4		-- Drink Holder: (2) In Add-on Console, Stainless Steel Red LED	2	109.00	218.00
3/5/8" -2/5/8"					
07-RR-02A7		-- Drink Holder Location: Rear	2	0.00	0.00
Down the middle, in between armrests					
07-RR-02C0	S	-- Note Book Slot: Single - Full width of Custom Arm Rest	1	58.00	58.00
CU-ST-ARM	U	-- Custom Arm Rests	1	58.00	58.00
(2) dual padded flip up armrests, hinge mounted inboard toward cup holders Interior of arm rests to be used for ma storage 10" Deep					
07-RR-2301		-- Customer Radio: Space for Customer installed Radio Heads	1	0.00	0.00
Must have space for (2) customer radios					
07-RR-02D6	S	-- Item location; Below Siren Before Add On Console	1	0.00	0.00
07-RR-2358	S	-- Glove Storage: (2) Glove Box Speed Lined Black, Bolt to chassis	1	199.00	199.00
cab wall					
Speed Line Glove Box Holder Black					
12-B0-0004	S	-- Speed Lined Part- Painted Special color to match Body	1	80.00	80.00
06-EC-GR01		Ground Straps, Module to Frame: (Qty 4) Braided Std With Star Washer	1	0.00	0.00
06-IG-0250		Inverter : Vanner LIFESINE 1100 Pure Sine Wave, w 55 amp 3 stage charger	1	1617.00	1617.00
06-EC-03AS		-- Portable Equip Charging Circuits: Included in Inverter	1	0.00	0.00
06-EC-03AA		-- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	0.00	0.00
06-EC-03C9		-- Portable Equip Pwr Source: Ignition and/or Shoreline	1	0.00	0.00
06-IG-03A0		-- Battery Charger/Conditioner: 55 A - Built into Inverter	1	0.00	0.00
06-IG-0003		-- Built-in Battery Charger: Enable - Wire to Batteries	1	0.00	0.00
06-IG-04C2		-- Lexan Cover: None	1	0.00	0.00
06-IG-04L7		-- Inverter Location: M-1A (ULF) Compartment	1	0.00	0.00
06-MC-0901		Low Voltage Buzzer: Installed, Multiplex units	1	0.00	0.00
COMMUNICATION RADIO(S) RELATED					
RADIO POWER					
06-EC-0301		-- Radio Power No 1: 30 A with Buss bar	1	22.00	22.00
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	0.00	0.00
06-EC-03J0		-- LOCATION: Inside Cab Center Console	1	0.00	0.00
06-EC-03A2		-- Radio Power No 2: 30 A, Pos and Neg, 10 awg Wires	1	0.00	0.00
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	0.00	0.00
06-EC-03E0		-- LOCATION: Behind Action Area Board	1	0.00	0.00
06-EC-03A3	S	-- Radio Power No 3: 30 A, Pos and Neg, 10 awg Wires	1	42.00	42.00
For portable Radio					
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	0.00	0.00
06-EC-03D0		-- LOCATION: Behind Passenger's Seat	1	0.00	0.00
ANTENNA LEADS					
06-RR-1710		-- Antenna Base w/ Coaxial Cable: KE794 #1	1	56.00	56.00
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	0.00	0.00
06-RR-1760		-- Location: Roof Port #1	1	0.00	0.00
Line up with edge of curbside entry door, centered side to side as near as possible.					
06-RR-1776		-- Termination Point: Inside Add On Console	1	0.00	0.00
06-RR-1712		-- Antenna Base w/ Coaxial Cable: KE794 #2	1	56.00	56.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
06-RR-01O2		-- ORINATION POINT: Roof Port No 2 Roof Port No 2 is located approximately 24 inches back rearward of roof port #1.	1	0.00	0.00
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	0.00	0.00
06-RR-1774		-- Termination Point: Behind A/A Board	1	0.00	0.00
CD-MM-300	U	-- Mount, Havis Dash Mount C-DMM-3006 - Installed	1	742.00	742.00
06-RR-1809		-- Patient Area Radio : None	1	0.00	0.00
06-SO-0000		125 V SHORE LINE AND OUTLETS	1	0.00	0.00
06-SO-0500		-- Shore Line Inlet: 20 A Super Auto Eject, ILOS >> Access plate either interior or exterior mounting plate required <<	1	415.00	415.00
06-SO-00LB		-- Inlet Front of Mod Box Angled box Single Height AE Shoreline lite T1 MTB no hole to cut, AEV will cut hole, type 1 bodies only. AEV part HOUS-SINDICATOR ; Single height AE type 20 amp shoreline, no control panel, has hole for indicator lite purchase separately. . AEV will paint to match box. Angled box bolts to front of module box with gasket included.	1	360.00	360.00
06-SO-0801		-- Indicator Light, Shore line: Weather proof, power by SL, Green Indicator light located above shore line inlet.	1	94.00	94.00
06-SO-1015		-- Cover, Red, Shore Line Inlet : 20 A Super Auto Eject, ILOS	1	37.00	37.00
06-SO-10TT		-- Inpower Timer: VCM-05-01SF, Installed NOTE: This allows the auto eject to be wired to the ignition switch In lieu of splicing into the OEM starter circuit and is required any this vehicle	1	81.00	81.00
06-SO-1400		-- **125 Volt OUTLETS**	1	0.00	0.00
06-SO-1401		-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY All 125 VAC outlets shall be back lighted when power is applied to the outlet.	1	0.00	0.00
06-SO-14L1		-- LOCATION: Action Area, standard location	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-14O2		-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1	0.00	0.00
06-SO-14L3	S	-- LOCATION: RF ALS, (See Drawing) Location: Top of wall #1, on lower exterior portion of M7	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-14O3		-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY	1	108.00	108.00
06-SO-14L6		-- LOCATION: Face of Squad Bench, (See Drawing)	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-14O4		-- 125 VAC Outlet, No 4: 15A, Hospital Grade, IVORY	1	108.00	108.00
06-SO-14L7	S	-- LOCATION: Foot of Squad Bench, (See Drawing)	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-14O5		-- 125 VAC Outlet, No 5: 15A, Hospital Grade, IVORY	1	108.00	108.00
06-SO-14L9		-- LOCATION: In Cab Console	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-1100		**INTERIOR 12 Volt OUTLETS**	1	0.00	0.00
06-SO-10XZ		-- 12 Volt outlets two separate single outlets	1	0.00	0.00
06-SO-10Y0		-- 12 V Outlet, No 1: Power Point Single - Wire thru Med Isolator	1	0.00	0.00
06-SO-11L1		-- LOCATION: Action Area, standard location	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-1910		-- Power Source: Medical Isolator , Batt Sw Hot	1	0.00	0.00
06-SO-11O2		-- 12 V Outlet, No 2: Power Point - Single wire thru Med Isolator	1	0.00	0.00
06-SO-11L3		-- LOCATION: RF ALS, (See Drawing)	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-1913		-- Power Source: The SAME as outlet No 1	1	0.00	0.00
06-SO-11O3		-- 12 V Outlet, No 3: Power Point - Single -Wire thru Med Isolator	1	58.00	58.00
06-SO-11L6		-- LOCATION: Face of Squad Bench, (See Drawing)	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-1913		-- Power Source: The SAME as outlet No 1	1	0.00	0.00
06-SO-11O4		-- 12 V Outlet, No 4: Power Point - Single -Wire thru Med Isolator	1	58.00	58.00
06-SO-11L7	S	-- LOCATION: Foot of Squad Bench, (See Drawing)	1	0.00	0.00
06-SO-14O2		-- Outlet mounting ORIENTATION: Vertical	1	0.00	0.00
06-SO-1913		-- Power Source: The SAME as outlet No 1	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
06-SO-116C		-- 12 V Outlet, DUAL USB, One Type A, One Type C round IATS EACH	3	102.00	306.00
26-SO-11L1	S	-- LOCATION: Action Area wall #2, Head of SB and Cab Console	3	0.00	0.00
06-SS-060A		Siren: Whelen, 295HFS2, Standard F-Series	1	0.00	0.00
06-SS-SA51		-- Siren Speakers:CPI: SA38323/423 D/P on surface of bumper 2023-25 F + ILOS Surface mount speakers for F series with Fog Light holes to cover	1	219.00	219.00
06-SS-SW01		-- Siren / OEM Horn Switch: In Cab Console	1	0.00	0.00
06-SS-1313		Air Horn System: BUELL - F1	1	1822.00	1822.00
06-SS-1303		-- Air Horns ACTIVATION Air valve; Lanyard ILOS Located at head liner between cab seats.	1	102.00	102.00
06-SS-1305		-- Air Tank Mounted to Frame Rail	1	0.00	0.00
06-SS-1310		-- Emergency Master Hot	1	0.00	0.00
06-SS-1340		-- Compressor: Buell #6540/5540 20% Oil less Intermittent Duty	1	0.00	0.00
06-SS-1347		-- Compressor Location: M-1A Compartment	1	0.00	0.00
06-SS-13F2		-- Air Horn Location: Under Front Bumper, F-450 and F-550 2017 + For F-550 may require recess cut into ABS valance - Air Dam.	1	0.00	0.00
06-SS-1321		-- Left Air Horn: 10" Buel Strombos Horn, Chrome, No 1061 (493 Hz)	1	0.00	0.00
06-SS-1332		-- Right Air Horn: 12" Strombos Horn, Chrome, No 1062 (396 Hz) CABINET SHOP - Modular	1	0.00	0.00
07-00-0001		ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	0.00	0.00
		***Aluminum - Expanded PVC Cabinet Configuration 172 Type 1			
07-00-0006		-- TPR Matt : On Cabinet Floors, Drawers & Shelves, X-Series units	1	0.00	0.00
07-00-0030		-- Aluminum Cabinet Backer-Sound Barrier # INSU-KSU on back side of aluminum cabinets	1	0.00	0.00
07-00-MB90		Interior Color Packages	1	0.00	0.00
07-00-MC9B		-- Mica Colors: Gloss Fashion Gray over Stainless Steel Parting Line: C/S: Top of squad bench including rear filler. S/S: To CPR side seat. Stainless Steel on above areas only. No other cabinet gets stainless, unless specified otherwise below.	1	637.00	637.00
07-AS-1200		-- Stainless Steel - FACE of Squad Bench including rear filler End of squad bench shall be MICA.	1	0.00	0.00
07-AS-1400		-- Stainless Steel - Lower Face of Wall Cabinet - Included	1	0.00	0.00
07-00-PC0N		-- Polycarbonate Type/Color: Lexan - CLEAR Secure Latch	1	0.00	0.00
07-01-SXM2		-- EVS 2280 Tri-BAC AIII in one Infant/ Child Attendant Seat X ILOS	1	0.00	0.00
07-01-SXM6		-- EVS Tri-Bac 2280 Child Seat Gunmetal Vac-Form Per4Max Black Belt X-ILOS all Gunmetal vac form,, STD seat slides front/ back. Must face rearward.	1	532.00	532.00
07-SE-02X3		-- BASE: EVS Seats, Metal, Mica Covered Base, Match Unit Interior	1	0.00	0.00
07-DR-WDX		-- Door, Single Solid , Flush Fitted	1	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	0.00	0.00
07-HW-SX11		-- Round Pull Latch: Non-locking - Chrome Finish 10 lb rated	1	0.00	0.00
07-BH-T005	S	each -- Bulkhead Trash (CANO-02A) can in metal bracket IATS Install at bulkhead, under talk-thru CANO-02A bio hazard Black Rubbermaid trash can BRKT-CANO02A	1	80.00	80.00
07-AC-4500		-- AC CABINET: Evaporator, Location : Bulkhead X Series STD composite Over Walkthru Composite Construction	1	0.00	0.00
07-CA-03XA	S	-- CURBSIDE UPPER: Over Squad Bench with Aluminum White Liners X-IATS To extend all the way to the CS door, with vent at the end	1	1406.00	1406.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
07-CU-X107		-- Cabinet K1 & K2: (2) Openings with flush center divider	1	250.00	250.00
07-DR-M060		-- EZ -Reach Top- Hinged Single Overhead ILOS 40 LB EACH	2	147.00	294.00
		Reel-Torq hinges			
07-DR-M900		-- Secure Latch handle is NON-LOCKING	2	0.00	0.00
07-D0-0002	S	-- Optional Cabinet P, Below K1 Cabinet, Non-Angled	1	453.00	453.00
		Located on forward side of angled Multiplex cabinet, underneath K1. Non-angled for Drug cabinet type installation. "P" cabinet, O2 outlet and multiplex should be in one cabinet with sections seperated for each use			
		See Drawing			
07-DR-LXXE		-- Door, Single Solid, Flush - Drug Locker	1	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	0.00	0.00
07-HW-REG		-- Combination Lock: COMPX Regulator Right hand horizontal self locking Each	1	158.00	158.00
		COMPX Regulator self locking with keypad, REG -S-R-3 Right hand horizontal with 1 3/16" length cylinder with self closing latch. Allows for the door to be slam latch style. System provides one supervisor code, and one User code			
07-HW-SX11		-- Round Pull Latch: Non-locking - Chrome Finish 10 lb rated each	1	0.00	0.00
07-CA-04B0		-- CURBSIDE REAR STORAGE CABINET: NONE	1	0.00	0.00
07-LF-6403		-- LF Cabinet, Behind Att Seat: Cabinet "H"/(Elec Cab) Composite, X-ILOS	1	0.00	0.00
07-CA-VENT		-- Plastic Vent: (2) Total, 1 column x 8 row, Vent 01	1	0.00	0.00
07-DR-WD0		-- Door, Single Solid Flush Fitted Electrical Area	1	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	0.00	0.00
07-HW-SO1		-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	1	35.00	35.00
07-RF-4500		-- RF ALS Cabinet: Aluminum Composite Construction	1	0.00	0.00
		X-Series Design WITHOUT 45° No I-1 K Cabinets are to extend all the way to the CS door			
07-CA-04AY		-- X series Angled Glove at RF ALS not required	1	-244.00	-244.00
07-RF-0003		-- Interior Color: White Anti-Microbial Powder Coated	1	0.00	0.00
07-RF-12X0		-- Cabinet I-2: Standard, Aluminum Composite Construction	1	0.00	0.00
07-CA-490S		-- 1/2" Solid Surface Squad Head Storage Top Tray:	1	876.00	876.00
		The tray shall have a lip. The tray lip shall come up to the front and overlay the face. Interior edge will be 90 degree, as of 05/08/2024			
07-CA-4T19		-- Solid Surface Material COLOR: Northern Melange 9195 ML	1	0.00	0.00
07-CA-4400		-- Cargo Net, 2" Webbing, On Cabinet -80 lbs	1	103.00	103.00
07-RA-IOA1		-- Outside Access: Thru M-7 (RF) Compartment door.	1	0.00	0.00
07-RF-0001		-- Interior MICA Color: White cabinet liner	1	0.00	0.00
07-TS-12X2		-- Shelf Track: Small Alum. Unistrut, X-Series, RF ALS cabinet	1	0.00	0.00
07-CA-06VD		-- (2) Shelves: Adjustable, Aluminum, White Anti-Microbial coated, STD	1	0.00	0.00
07-RF-I30D		-- Cabinet I-3: DELETE, Combine with I2 Cabinet	1	0.00	0.00
07-RR-0064		-- Right Rear Cabinet: Cover over M-5 Compartment	1	0.00	0.00
07-RR-0364		-- Inside access into M-5: Face Aisle	1	234.00	234.00
		The inside access opening shall positioned on the forward half of M-5 compartment. The clear opening shall be 8" wide by 32" tall. IF SPECIAL SIZE opening is required, please define; _____ " W x _____ " Tall			
07-DR-ST10		-- Door, Single, Overlay Hinged, 3/8" Lexan - (Include)	1	51.00	51.00
07-HW-SO1		-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	1	35.00	35.00
07-SB-4500		-- SQUAD BENCH: Aluminum Composite Construction X Series	1	0.00	0.00
07-SB-1020		-- Bio-waste/Sharps No 1: Flush, hinged laminated aluminum Door on squad lid	1	32.00	32.00
		Piano hinged aluminum door with two slots routed through. Laminate the top surface to match the squad bench top. The entire door to be recessed to flush with the bench lid top. Piano hinge on forward end toward stepwell.			
07-HW-SO4		-- Round pull lock, Non-Locking, Plastic Non-Compliant to J3043	1	37.00	37.00
11-YZ-0909		-- Non-Compliant to 3.11.3 J3043, Installed component does not meet performance req	1	0.00	0.00
07-SB-1003		-- LOCATION: At head of Squad Bench	1	0.00	0.00
07-SB-1005		-- WASTE CONTAINER: 6 Quart std -CANO-04G	1	0.00	0.00
07-SB-100A		-- SHARPS CONTAINER: 2.2 -Quart Kendall Phlebotomy #1522SA-	1	44.00	44.00
07-SB-1001		-- Storage Under Lid	1	0.00	0.00
07-SB-LIDY		-- Squad Bench Lid: Single, One PC, 1-section	1	0.00	0.00
07-SB-LH00		-- Hinge, Squad Bench Lid(s): Butt Style Hinges	1	0.00	0.00
07-SB-LH03		-- Lid Checks: Gas shock, Dual Action	1	0.00	0.00
07-SB-LH08		-- Latch, Bench Lid: Slam Action , KITS-SBL - Surface mount 40 LBS	1	0.00	0.00
		each			

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
07-TR-SB01		-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1	0.00	0.00
08-MH-1404		-- Restraint Net, at head of S/B, NONE	1	-51.00	-51.00
07-SB-0050	S	-- Custom Cabinet/Cabinets: At FOOT of Squad Bench Area For LifePak location	1	592.00	592.00
07-CA-490S		-- 1/2" Solid Surface Squad Head Storage Top Tray: The tray shall have a lip. The tray lip shall come up to the front and overlay the face. Interior edge will be 90 degree, as of 05/08/2024	1	876.00	876.00
07-CA-4T19		-- Solid Surface Material COLOR: Northern Melange 9195 ML	1	0.00	0.00
07-DW-0010		-- Drawers: (2) Mica-wood body, Mica inside and out	1	669.00	669.00
07-DR-WSD		-- Drawer Front: Flush Fitted with 12" secure latch at top-40 lbs	2	45.00	90.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	2	0.00	0.00
07-HW-SL01		-- Drawer Slides: Full Extension, Detachable 130 LB capacity STD 18" long Slides installed Vertical at Sides ONLY. 18" Long	2	0.00	0.00
07-TC-4500		-- TOP CABINETS, - w/ 72" HR, Aluminum Composite Construction X STD	1	0.00	0.00
07-TC-A450		-- Cabinet A: 72" HR Aluminum Composite X std	1	0.00	0.00
07-CB-DR71		-- Doors; Cabinet Secure Latch Restocking slide Window Top Addl, 30 lb	1	522.00	522.00
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	0.00	0.00
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	0.00	0.00
07-TC-B450	S	-- Cabinet B1 Ergonomically angled toward the CPR seat (72"HR) X Std This cabinet is to be a separate cabinet.	1	0.00	0.00
07-CB-DR75		-- Doors; Cabinet B Secure Latch Restocking Sliding Window Top hinged x -30 lb	1	0.00	0.00
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	0.00	0.00
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	0.00	0.00
07-TC-B440	S	-- Cabinet B: NON Angled, standard (72"HR) X Std	1	0.00	0.00
07-CB-DR31		-- Doors; Cabinet B Secure Latch Restocking Sliding Window Top hinged -30 lb	1	250.00	250.00
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	0.00	0.00
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	0.00	0.00
07-TS-1200	S		1	0.00	0.00
07-WC-4404	S	-- WALL CABINET: CPR Seat w/ No Telemetry, Aluminum Composite Construction X	1	0.00	0.00
07-WC-A950		-- Action Area: Half-Height	1	0.00	0.00
07-CA-4800		-- 1/2" Solid Surface A/A Tray The tray shall have a lip. The tray lip shall come up to the front and overlay the face. Interior edge will be 90 degree, as of 05/08/2024	1	1317.00	1317.00
07-CA-4819		-- Solid Surface Material COLOR: Northern Melange 9195 ML	1	0.00	0.00
07-WC-AAB		-- Action Area Board: Black Grip See Station No 6 for content	1	0.00	0.00
07-WC-C64		-- Cabinet C: Aluminum Composite Construction	1	0.00	0.00
07-CB-DR7		-- Doors; Cabinet C Secure Latch Restocking Sliding Window Left Side Hing x -30 lb Left Side hinged, Damper assist.	1	0.00	0.00
07-RF-0008		-- No Inside Access To Exterior Compartment	1	0.00	0.00
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	0.00	0.00
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	0.00	0.00
07-WC-SS05		-- Side Seat: 44" - Double Position - Under Lid Storage w/Latch	1	240.00	240.00
07-SB-LH08		-- Latch, Bench Lid: Slam Action , KITS-SBL - Surface mount 40 LBS each	1	0.00	0.00
07-WC-BA0		-- Hinge, CPR Seat Lid(s): Butt Style Hinges	1	0.00	0.00
07-WC-BR0		-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1	0.00	0.00
07-WC-ST52		-- CPR Seat, Lid check Gas shock dual action installed	1	60.00	60.00
07-WC-VD9		-- Cylinder Viewing Window: Left Hinged Lexan 3/16" - No latch	1	0.00	0.00
08-SE-1702		-- P4 - 4-Point PER4MAX Restraint System - W/CPR	1	0.00	0.00
08-SE-1719		-- (1) Squad bench Above Per4max, (1) CPR Seat Below Per4max Black Belt Belt retractors must mount below the top of the seat. BELT-F155959 1 BELT-F151856 1	1	-200.00	-200.00
08-SE-SB72		-- Squad Bench: No Secondary patient restraints	1	-44.00	-44.00
08-SF-0010		-- Mod Single Color VAC Form Tombstone Backrest with Separate Headrest	2	0.00	0.00
08-SF-0100		-- Single Color Backrest and Headblock Blue Ridge Each	2	0.00	0.00





PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
07-WC-0000		--	1	0.00	0.00
CABINET SET - CELL 4 - MOD					
08-00-002X		-- Sub-Floor, 1/2" Composite, STD X series	1	0.00	0.00
08-00-FL31		Flooring: Lonplate II - #424 TX (Textured) Gun Powder	1	426.00	426.00
08-00-FL01		-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up	1	0.00	0.00
08-AS-0003		-- Rear Threshold, Covered with Black Speedliner, 6" W x Full W at rear doors	1	101.00	101.00
08-AS-0008		-- C/S Stepwell Threshold, Black Speedliner Covered Smooth Aluminum Upper Threshold	1	45.00	45.00
08-CS-0001		COT MOUNT HARDWARE: (Full Size Mod)	1	0.00	0.00
08-CR-09PP		-- Stryker Floor Platte only, for , Power Load, Prep >>NON COMPLIANT This will have everything need for Customer/Dealer to install the Stryker Power Load system at a later date. Constant hot and ground service power provided, Prep will include, installation of Floor Plate Kit THIS DOES NOT INCLUDE ANY COT MOUNT >>>>> EXCEPTION TO 3.11.6 >> THIS is an incomplete installation, an exception is required, NON COMPLIANT installation.	1	-565.00	-565.00
08-CR-0420		-- Non-Compliant to SAE J3027, J3102 3.11.6 Patient Cot Mount Notice	1	0.00	0.00
08-CR-09PN		-- mass casualty kit not requested	1	0.00	0.00
08-CR-1001		-- 12 v power for cot mount provided up through floor 12volt power for power load to be brought through floor, with Heat shrink connectors installed	1	46.00	46.00
08-CS-00PL		-- Cot Position No 1: PRIMARY CENTER POSITION, Maintain 12" between Cot and S/B.	1	0.00	0.00
08-CS-2000		-- Primary Cot position under floor reinforcement Install 8 inch wide by 5 long 1/2" aluminum reinforcement at primary cot position. (Primary cot position only - REV Std) **If custom location is desired, must be specified below.	1	0.00	0.00
08-CS-3009		-- Cot mount set up for: Stryker Power-Pro 6506	1	0.00	0.00
08-CS-3009		-- Cot mount set up for: Stryker Power-Pro 6506	1	0.00	0.00
08-OS-04SX		OXYGEN / AIR / VACUUM System: X-Series	1	0.00	0.00
08-OS-0401		-- O2 Outlet No 1: Ohio/Diamond/Ohmeda	1	0.00	0.00
08-OS-040A		-- LOCATION: Action Area	1	0.00	0.00
08-OS-0402		-- O2 Outlet No 2: Ohio/Diamond/Ohmeda	1	0.00	0.00
08-OS-0380		-- LOCATION: Ceiling mounted in recessed ABS Housing ILOS	1	67.00	67.00
08-OS-0403		-- O2 Outlet No 3 Ohio/Diamond/Ohmeda	1	189.00	189.00
08-OS-040E	S	-- LOCATION: Curbside, in forward portion of angled cabinet, over head of S/B	1	0.00	0.00
08-OS-090M		-- Port Cyl Rack No 1: CPI Auto-Release Duramount Dual - D tank X-ILOS Mounted at bulkhead, CS of trash (no strap) Width 11 inches, Height 16.12 not including top of bottle and regulators, Depth 6.17 inches Can be mounted in any orientation, Horizontal, Vertical, rated for 7.6 lbs of total tank contents.	1	355.00	355.00
08-OS-1331		-- Rack No 1: Adjustable AEV O2 Rack Green with 4 Ratchet Straps M/H	1	0.00	0.00
08-OS-11G1		-- Cylinder Type: OXYGEN - Green Colored Hose	1	0.00	0.00
08-OS-1301		-- Rack Location: Left Front, wall #2 near wall #3	1	0.00	0.00
08-OS-132M		-- Set up For M cylinder	1	0.00	0.00
08-OS-1712		-- Regulator, Oxygen: Has LX1 Transducer, Inspected and Installed	1	168.00	168.00
08-OS-1902		-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1	0.00	0.00
08-OS-35ST		-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	0.00	0.00
08-OS-3514		-- Collection Canister w Clip Bemis, 1200 CC Capacity In recess below AA Location: Recessed under the action area.	1	63.00	63.00
08-OS-3502		-- VAC Plumbing: Direct from panel to canister - NO Outlet	1	0.00	0.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
08-OS-3503		-- Vacuum Pump: 49 State	1	0.00	0.00
08-OS-35L4		-- Location: M-2 Compartment	1	0.00	0.00
TRIM / DOOR ASSEMBLY - CELL 5					
09-00-002S		-- Interior window and aluminum trim with standard satin finish- std	1	0.00	0.00
09-00-000Z		*****Door Department X Series > New	1	0.00	0.00
02-BT-C85V		-- Handles, Ext: Tri-mark 1875, Free Float, Polished CNC finish X-Series	1	0.00	0.00
02-BT-C85A		-- Interior Release: All Entry Doors, with bezel Emergency Access	1	0.00	0.00
09-B1-ED0X		-- Entry Door Panels, Windows and Hardware, X-Series Units	1	0.00	0.00
08-MH-0020		-- Interior Grab Handle Color: Yellow Antimicrobial	1	0.00	0.00
08-MH-0318		-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Yellow Antimicrobial ILOS Install CS door handle after cabinet installation. Close the doors and check for pinch points or cabinet interference.	1	150.00	150.00
08-MH-03E8		-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Yellow Antimicrobial	1	295.00	295.00
09-AS-070X		-- Door Panels: Mica over Smooth Alum (Upper/Lower), Upholstery (Center) The mica is laminated to smooth aluminum.	1	0.00	0.00
09-WI-02BX		-- "AUTO SHADE" Windows: Upper R/A Doors, Fixed Glass, X-STD 16.375" w x 19.3"H	1	0.00	0.00
09-WI-06BX		-- "AUTO SHADE" Window: Upper C/S Access, Fixed Glass, X-Series STD	1	0.00	0.00
09-WI-09BX		-- Inverter, "Auto Shade" Windows : Part of X series windows	1	0.00	0.00
09-IN-3STX		-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	0.00	0.00
09-IN-3STY		-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	0.00	0.00
09-MH-2406	S	-- Grab Rails, 18" IATS, (3) Inside All Drs, Streetside & C/S, Yellow Antimicrobial (1) CS grab rail to be angled on stepwell side of ALS for ingress Yellow Antimicrobial. Straight Rail, not Curved (1) Inside each rear entry door, See Drawings.	1	332.00	332.00
09-MH-2702		-- Grab Rail, C/S wall, Various types C/S Entry, NONE	1	0.00	0.00
09-DR-WT00		Talk Through Window:Laminated Wood bezel Gray/ Clear Sliding window	1	0.00	0.00
09-DR-WT20		-- Sliding Window Locking Pin: 1/4" with Lanyard	1	0.00	0.00
09-FM-10X3		Dri-Dek Compt Floors and shelves, Black, STD X-Series	1	0.00	0.00
09-FM-11X0		-- Dri-Dek EDGES: Black, Beveled frontal edges	1	0.00	0.00
07-WC-LPN		-- Defib.Brace: Bottom Mount Technimount 210-11-PC15-HD Pro Serie 35 LP 15 Bottom surface swivel mount Requires separate space if countertop has lip. Complete assembly surface mounted base, removable support device section Warranty from manufacturer.	1	1692.00	1692.00
07-WC-LPT1		-- Technimount Spacer 3/4" tall Aluminum 3/4" aluminum spacer to install under mounting plate of tehmount HOLD-SPC034	1	534.00	534.00
07-WC-LPT	S	-- Monitor Mounting: Bolted in place Location: Foot of SB	1	0.00	0.00
ELECTRICAL Point to Point - CELL 6					
10-MC-0002	S	-- Key Vault: Kidde Lock Box, Surface Mount, 2 Keys Kidde Surface mounted push button metal lock with mounting hardware Location: Centered below CS Drug Cabinet Key Capacity: (2) Color: Titanium	1	150.00	150.00

PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		4" H x 2 3/8" W x 1 3/4" D			
		Mfr # 1170			
10-EB-13X2		Cabinet Light(s) : "DAY BRIGHT" LED White Lights, X-Series Units One strip Daybright light at top of each specified cabinet.	1	0.00	0.00
05-IL-13S1		-- Cab Interior Lights Switching: Thru MultiPlex System	1	0.00	0.00
10-EB-13Y0		-- Daybright location 1	1	0.00	0.00
10-EB-13YA		-- Daybright Light Location Cabinet A	1	0.00	0.00
10-EB-13Y1		-- Daybright location 2	1	0.00	0.00
10-EB-13YB		-- Daybright Light Location Cabinet B	1	0.00	0.00
10-EB-13Y2		-- Daybright location 3	1	0.00	0.00
10-EB-13YE		-- Daybright Light Location Cabinet B-1	1	0.00	0.00
10-EB-13Y3		-- Daybright location 4	1	0.00	0.00
10-EB-13YC		-- Daybright Light Location Cabinet C	1	0.00	0.00
10-EB-13Y4		-- Daybright location 5	1	0.00	0.00
10-EB-13YK		-- Daybright Light Location Cabinet K	1	0.00	0.00
10-EB-13Y5		-- Daybright location 6	1	0.00	0.00
10-EB-13YL		-- Daybright Light Location Cabinet K2	1	0.00	0.00
10-EB-13Y6		-- Daybright location 7	1	0.00	0.00
10-EB-13YZ	S	-- Daybright Light Location Cabinet LF	1	0.00	0.00
10-IL-02ST		Action Area Light: 12 V, LED, Surface Mount	1	0.00	0.00
10-IL-02L7		-- Light Location: Action Area	1	0.00	0.00
UPHOLSTERY - CELL 7					
11-00-UC01		Upholstery Color: Dark Gray (Gunmetal)	1	0.00	0.00
11-00-UC11		-- Center Trough Upholstery Color: Color Key to Rest of Truck	1	0.00	0.00
11-00-UT0X		Uph Joint Type: "PREMIUM" Upgrade-X series Standard	1	0.00	0.00
11-SB-0005		Squad Bench seat cushion cut-outs: None	1	0.00	0.00
11-SE-CSPD		Head Protection: Pad over CS Entry Door	1	0.00	0.00
11-SE-REPD		Head Protection: 2" Pad over Rear Access Doors, Full Width	1	0.00	0.00
PAINT - STRIPES - DECALS PPG					
12-PT-UNCT		-- Undercoating: Per QVM Guidelines, STD	1	0.00	0.00
12-DC-0001		Reflective Tape: White Reflective On Painted edges of Exterior Door Frame	1	0.00	0.00
12-DC-GA10		Compartment Finish: Diamond Plate Standard	1	0.00	0.00
12-PT-0100		Primary (Over All) Color: White (YZ)	1	0.00	0.00
12-00-0001	S	-- Norwood FD - Custom Paint and Graphics Package	1	9148.00	9148.00
12-DC-0002		-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R	1	0.00	0.00
12-PT-0112		-- Tape Stripe: NONE (KKK-F Deviation)	1	0.00	0.00
12-PT-RF01		-- Roof Paint: Same color as module body, Matte Finish	1	0.00	0.00
12-PT-DRIP		Drip Rails: Bright Aluminum, De-burred and rounded corners Include a drip rail over the C/S Entry Door.	1	0.00	0.00
DETAIL - SHIP LOOSE ITEMS					
12-PT-DRIZ		-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information Include a drip rail over the C/S Entry Door.	1	0.00	0.00
13-10-XM00		-- Owner's Manual USB Flash Drive ship loose	1	0.00	0.00
13-KK-KDEC		Decals: KKK / DOT Pkg, Blue/White reflective - Ship Loose	1	0.00	0.00
13-RF-STAS		-- Decals: 32" Star of Life - Ship Loose	1	0.00	0.00
13-KK-NSSB		Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	0.00	0.00
13-KL-0010		AEV Logos: Installed on unit per AEV standard locations	1	0.00	0.00
13-MH-05ST		Fire Extinguisher, 5 pound, shipped loose, Std	1	0.00	0.00
11-YZ-0932		-- GSA KKK-F Exception to 3.15.2 Required Two fire extinguishers installed by FSAM Fire extinguisher(s) were not installed at the time of departure from the final stage Ambulance Manufacturer. AEV provides only one, the other must be separately purchased by the dealer.	1	0.00	0.00
11-ZZ-0932		-- CAAS Exception to C.16.1 1 Required Two fire extinguishers installed Fire extinguishers were not installed at the time of departure from the final stage Ambulance Manufacturer. AEV provides only one fire extinguisher as std, the dealer must purchase the second unit.	1	0.00	0.00
13-MH-10A0		Reflector Pkg: Body - 2 ea, Side Fr Amber, Side Rear Red, Rear Red	1	0.00	0.00
13-SB-0003		Post And Wheel Cups: NONE	1	0.00	0.00
13-SP-TIRE		Spare Tire: Refer To Chassis Section to See if it gets one.	1	0.00	0.00
34-XX-5000		Indemnification Statement The purchaser agrees to defend, indemnify and hold REV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of	1	0.00	0.00


PART NO	S	DESCRIPTION	QTY	EACH	EXTENDED
		product for purposes it was not designed or intended for.			
		== 172 x 96 T-1 LWB Ford X Base Price - 38.004 07/14/25 ==			
		GENERAL CONVERSION			
03-00-0001			1	0.00	0.00
03-16-003H	S	172" F-550/450 4 x 4 (X-Series)Conv PKG 24-1 08/10/23	1	216693.00	216693.00
03-ZZ-ZZZZ			1	0.00	0.00
36-EO-0001		-- ***END OF ORDER***	1	0.00	0.00
		Subtotal			354,040.00
		Inspection and Delivery			1,500.00
		Total			355,540.00
		APPROVED :			
		DATE :			

X SERIES



*CONCEPTIONAL DRAWINGS
 *Some shown are optional
 * Due to AEV's ongoing improvements, drawings can change.

- ENTRY THRESHOLDS SPEEDLINED BLACK
- DAY BRIGHT LIGHTS A, B, B1, C, K1, K2, LF

AMERICAN EMERG		EN CY VEHICLES	
2026 F-550 4x2 DIESEL X-SERIES 176" x 96" x 74"			
DWG.	REV. # 2		 NORWOOD FIRE DEPARTMENT
TRUCK#	BY: RSVP		
DATE:	7-21-25		



City of Norwood Request for Ordinance, Resolution, Amendment, or Repeal

Date of Request: 12/2/2025	Date Needed: 12/9/2025
Request(s) should be submitted by the Wednesday, at noon, before date needed for Council, earlier if possible.	
Requested By:	Noah Powers / Thomas McCabe
Contact:	Ssd@norwoodohio.gov / tmccabe@norwoodohio.gov
Document Requested:	Ordinance
Executive Summary of document needed:	
If an amendment or repeal request, list existing Ordinance Number(s)/Section(s) of Ordinance to be amended or repealed, etc. (or attach documents and/or copies as appropriate)	
<p>Requesting an ordinance to allow the SSD to enter into a contract with R.S.V.P. for the purchase of a 2028 Ambulance. The Ambulance is part of the Fire Department vehicle replacement program and is accounted for in the FRP as well as the FD's 10 year capitol plan.</p>	
Action Requested:	Emergency - Three Readings at One Meeting with Immediate Effectivity
If Emergency clause or suspension of rules for all three readings is needed, explain:	
<p>Passing with emergency clause will allow the contract approval to be placed into consideration of the financial supervision commission, as required under the fiscal status.</p>	
Special Notes/Instructions	
<p>Questions regarding the ambulance purchase can be directed to Chief McCabe.</p>	

**Interoffice Memorandum
City of Norwood, Ohio**

To: President of Council, Joseph S. Geers and
Members of the Norwood City Council

From: Norwood Planning Commission

Date: November 21, 2025

RE: Final PUD Plan for 4500 Beech Street, the Robertson South PUD

Copy: Law Department
File

On November 20, 2025, the Norwood Planning Commission held a special open meeting. Regarding item #2 of the November 20, 2025, Norwood Planning Commission agenda: Mick Oaks, Associate Developer with PLK Communities is submitting a final planned unit development (PUD) plan for the property South of Robertson Avenue known as 4500 Beech Street, Norwood, Ohio 45212; 2.839 acreage Hamilton County Auditors book 651, page 0030, parcel 0206 located within NBD/PUD Neighborhood Business District/Planned Unit Development overlay, including the proposed PUD expansion 2741 Robertson Avenue, Norwood, Ohio 45212, Hamilton Auditor book 651, page 0030, parcel 0194-00.

With a unanimous affirmative vote, the motion to recommend to the Norwood City Council to approve the final PUD plan, titled Factory 52 Robertson South plan stamped received by the Norwood Building Department 10/14/2025 for the project at 4500 Robertson South, including the PUD expansion of 2741 Robertson Avenue, Norwood, Ohio 45212, contingent upon the following conditions being met;

1. The dumpster corral location is to be improved upon, moved to a more acceptable location
2. That the fence shielding and landscaping around the perimeter where homes are be communicated to and approved by the Norwood Building Commissioner
3. That a traffic study, focused on Beech Street and Kenilworth Avenue, and recommendations for improvements if warranted shall be implemented and provided to the City of Norwood Building Department for review by the City Engineer.

Planning Commission would further ask that this memo be placed on the next meeting of the Norwood City Council for the Council to set a public hearing in accordance with the requirements in sections 1117.10, 1117.11, and 1117.12 of the Norwood Codified Ordinance.

Attachment(s)
CC: Law Department
File